

* Extended Lead Times Possible

2024 TrueFlame Outdoor & Fire Price List

Product Number	Title	Description	MAP
Kalea Bay Outdoor Fireplaces			
OFF-36LECO-NLED	36" Outdoor Linear Fireplace with LED Lights, NG	Outdoor Linear Fireplace with LED Lights - 36" w x 16" h x 16" d Opening Dimensions - 304 Stainless Steel Firebox and Burner, Ecoflow Valve System featuring Electronic Ignition (Requires 120Vac). Control Center: On/Off. Low/High, Continuous Pilot & Learn, Red-Green-Blue LED controls. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Natural Gas (NG). Field convertible to Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Natural Gas (31,000 BTU on High, 18,500 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 4,299.00
OFF-48LECO-NLED	48" Outdoor Linear Fireplace with LED Lights, NG	Outdoor Linear Fireplace with LED Lights - 48" w x 16" h x 16" d Opening Dimensions - 304 Stainless Steel Firebox and Burner, Ecoflow Valve System featuring Electronic Ignition (Requires 120Vac). Control Center: On/Off. Low/High, Continuous Pilot & Learn, Red-Green-Blue LED controls. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Natural Gas (NG). Field convertible to Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Natural Gas (43,500 BTU on High, 24,500 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 4,999.00
OFF-60LECO-NLED	60" Outdoor Linear Fireplace with LED Lights, NG	Outdoor Linear Fireplace with LED Lights - 60" w x 16" h x 16" d Opening Dimensions - 304 Stainless Steel Firebox and Burner, Ecoflow Valve System featuring fPFSly Electronic Ignition (Requires 120Vac). Control Center: On/Off. Low/High, Continuous Pilot & Learn, Red-Green-Blue LED controls. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Natural Gas (NG). Field convertible to Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Natural Gas (50,000 BTU on High, 36,000 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 5,799.00
OFF-72LECO-NLED	72" Outdoor Linear Fireplace with LED Lights, NG	Outdoor Linear Fireplace with LED Lights - 72" w x 16" h x 16" d Opening Dimensions - 304 Stainless Steel Firebox and Burner, Ecoflow Valve System featuring fPFSly Electronic Ignition (Requires 120Vac). Control Center: On/Off. Low/High, Continuous Pilot & Learn, Red-Green-Blue LED controls. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Natural Gas (NG). Field convertible to Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Natural Gas (65,000 BTU on High, 42,000 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 6,599.00
OFF-36LECO-PLD	36" Outdoor Linear Fireplace with LED Lights, LP	Outdoor Linear Fireplace with LED Lights - 36" w x 16" h x 16" d Opening Dimensions - 304 Stainless Steel Firebox and Burner, Ecoflow Valve System featuring Electronic Ignition (Requires 120Vac). Control Center: On/Off. Low/High, Continuous Pilot & Learn, Red-Green-Blue LED controls. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Liquid Propane (31,000 BTU on High, 18,500 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 4,299.00
OFF-48LECO-PLD	48" Outdoor Linear Fireplace with LED Lights, LP	Outdoor Linear Fireplace with LED Lights - 48" w x 16" h x 16" d Opening Dimensions - 304 Stainless Steel Firebox and Burner, Ecoflow Valve System featuring Electronic Ignition (Requires 120Vac). Control Center: On/Off. Low/High, Continuous Pilot & Learn, Red-Green-Blue LED controls. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Liquid Propane (LP). Field convertible to Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Natural Gas (43,500 BTU on High, 24,500 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 4,999.00
OFF-60LECO-PLD	60" Outdoor Linear Fireplace with LED Lights, LP	Outdoor Linear Fireplace with LED Lights - 60" w x 16" h x 16" d Opening Dimensions - 304 Stainless Steel Firebox and Burner, Ecoflow Valve System featuring Electronic Ignition (Requires 120Vac). Control Center: On/Off. Low/High, Continuous Pilot & Learn, Red-Green-Blue LED controls. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Liquid Propane (50,000 BTU on High, 36,000 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 5,799.00
OFF-72LECO-PLD	72" Outdoor Linear Fireplace with LED Lights, LP	Outdoor Linear Fireplace with LED Lights - 72" w x 16" h x 16" d Opening Dimensions - 304 Stainless Steel Firebox and Burner, Ecoflow Valve System featuring Electronic Ignition (Requires 120Vac). Control Center: On/Off. Low/High, Continuous Pilot & Learn, Red-Green-Blue LED controls. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Liquid Propane (65,000 BTU on High, 42,000 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 6,599.00
OFF-48LECO-N	48" Outdoor Linear Fireplace - NO LED Lights, NG	Outdoor Linear Fireplace 48" w x 16" h x 16" d Opening Dimensions - 304 stainless Steel Firebox and Burner, Ecoflow Valve System: Battery Operated Electronic ignition. Control Center: On/Off. Low/High, Continuous Pilot & Learn with a battery drawer for easy access. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Natural Gas (NG). Field convertible to Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Natural Gas (43,500 BTU on High, 24,500 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 4,699.00
OFF-60LECO-N	60" Outdoor Linear Fireplace - NO LED Lights, NG	Outdoor Linear Fireplace 60" w x 16" h x 16" d Opening Dimensions - 304 stainless Steel Firebox and Burner, Ecoflow Valve System: Battery Operated Electronic ignition. Control Center: On/Off. Low/High, Continuous Pilot & Learn with a battery drawer for easy access. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Natural Gas (NG). Field convertible to Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Natural Gas (50,000 BTU on High, 36,000 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 5,149.00
OFF-48LECO-P	48" Outdoor Linear Fireplace - NO LED Lights, LP	Outdoor Linear Fireplace 48" w x 16" h x 16" d Opening Dimensions - 304 stainless Steel Firebox and Burner, Ecoflow Valve System: Battery Operated Electronic ignition. Control Center: On/Off. Low/High, Continuous Pilot & Learn with a battery drawer for easy access. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Liquid Propane (LP). Includes two (2) 12" x 6" vents. 43,500 BTU on High, 24,500 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 4,699.00
OFF-60LECO-P	60" Outdoor Linear Fireplace - NO LED Lights, LP	Outdoor Linear Fireplace 60" w x 16" h x 16" d Opening Dimensions - 304 stainless Steel Firebox and Burner, Ecoflow Valve System: Battery Operated Electronic ignition. Control Center: On/Off. Low/High, Continuous Pilot & Learn with a battery drawer for easy access. Converts to See-Through Fireplace with purchase of a Kalea Bay See-Through Conversion Kit. Ships as Liquid Propane (LP). Includes two (2) 12" x 6" vents. Conversion kits sold separately. Liquid Propane (50,000 BTU on High, 36,000 BTU on Low) - Lava Rock or Glass Media is required. See owners manual.	\$ 5,149.00
Adobe and Lume/Levelle Fire Bowls *ALL While Supplies Last			
TF-GFRC-FBWR-30W	30" Adobe Fire & Water Bowl, Grey Finish	TrueFlame Abode Series 30" GFRC (Glass Fiber Reinforced Concrete) Fire Bowl and Water Bowl 30" Tall x 12.6" High - Color: Grey, Stainless Steel 27" Disc with Stainless Steel 15" Double Fire Ring - 4 Spoke, and Stainless Steel 8" Scupper - 3/4" inlet (10 to 12 Gal per minute), Match Throw Key Valve ignition (Key Valve installed with Key) - Natural Gas 75k BTU (Conversion kit required for Propane), ships with Lava Rock	\$ 1,459.00
TF-GFRC-FBWSN-30W	30" Adobe Fire & Water Bowl, Sand Finish	TrueFlame Abode Series 30" GFRC (Glass Fiber Reinforced Concrete) Fire Bowl and Water Bowl 30" Tall x 12.6" High - Color: Sand, Stainless Steel 27" Disc with Stainless Steel 15" Double Fire Ring - 4 Spoke, and Stainless Steel 8" Scupper - 3/4" inlet (10 to 12 Gal per minute), Match Throw Key Valve ignition (Key Valve installed with Key) - Natural Gas 75k BTU (Conversion kit required for Propane), ships with Lava Rock	\$ 1,459.00
TF-GFRC-FBWR-30W	30" Adobe Fire & Water Bowl, Brown Finish	TrueFlame Abode Series 30" GFRC (Glass Fiber Reinforced Concrete) Fire Bowl and Water Bowl 30" Tall x 12.6" High - Color: Brown, Stainless Steel 27" Disc with Stainless Steel 15" Double Fire Ring - 4 Spoke, and Stainless Steel 8" Scupper - 3/4" inlet (10 to 12 Gal per minute), Match Throw Key Valve ignition (Key Valve installed with Key) - Natural Gas 75k BTU (Conversion kit required for Propane), ships with Lava Rock	\$ 1,459.00

SAN1-30LHMT-N-RA	Sanctuary 1 Fire Table, SS Burner System, Black Finish, NG	Sanctuary 1 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Raven (Black), includes LOF-3313FHMT-N-SAN), Ships with Deluxe Weather Cover, Ships as Natural Gas 100K BTU, LP Conversion Kit (OAS-LPK35) Sold Separately	\$ 3,079.00
SAN1-30LHMT-N-SL	Sanctuary 1 Fire Table, SS Burner System, Slate Finish, NG	Sanctuary 1 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Slate (Grey), includes LOF-3313FHMT-N-SAN, Ships with Deluxe Weather Cover, Ships as Natural Gas 100K BTU, LP Conversion Kit (OAS-LPK35) Sold Separately	\$ 3,079.00
LOF-3313FHAWS-N-SAN	NG Stainless Steel "H" Burner for Sanctuary 1, AWS	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 75,000 BTU - Includes Cover	\$ 3,709.00
LOF-3313FHAWS-P-SAN	LP Stainless Steel "H" Burner for Sanctuary 1, AWS	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 75,000 BTU - Includes Cover	\$ 3,709.00
LOF-3313FHTPSI-N-SAN	NG Stainless Steel "H" Burner for Sanctuary 1, TPSI	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 75K BTU - Includes Sanctuary 1 Mounting Hardware - Includes Cover	\$ 1,519.00
LOF-3313FHTPSI-P-SAN	LP Stainless Steel "H" Burner for Sanctuary 1, TPSI	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 75K BTU - Includes Sanctuary 1 Mounting Hardware - Includes Cover	\$ 1,519.00
LOF-3313FHMT-N-SAN	NG Stainless Steel "H" Burner for Sanctuary 1, MT	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, MT Ignition, NG - 100K BTU	\$ 679.00
SANCTUARY1-AR	Sanctuary 1 Fire Table, NO Burner System, Artic Finish	Sanctuary 1 - Fire Table Only - Constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Artic (White)	\$ 2,400.00
SANCTUARY1-CH	Sanctuary 1 Fire Table, NO Burner System, Chocolate Finish	Sanctuary 1 - Fire Table Only - Constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Chocolate (Dark Brown)	\$ 2,400.00
SANCTUARY1-RA	Sanctuary 1 Fire Table, NO Burner System, Black Finish	Sanctuary 1 - Fire Table Only - Constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Raven (Black)	\$ 2,400.00
SANCTUARY1-SL	Sanctuary 1 Fire Table, NO Burner System, Slate Finish	Sanctuary 1 - Fire Table Only - Constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Slate (Grey)	\$ 2,400.00
Sanctuary 2 Fire Bowl Series with Stainless Steel Burner System			
SAN2-34DBSAWS-N-AR	Sanctuary 2 Fire Bowl, Electronic Ignition, Artic Finish, NG	Sanctuary 2 - Fire Bowl, 39" Diameter x 18" H, Color: Artic (White), includes FPB-34DBSAWS-N (Fully Electronic Ignition - Requires 120Vac, Ships with Deluxe Weather Cover - Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK31 + FG-AWS-PBO-P) Sold Separately	\$ 5,289.00
SAN2-34DBSAWS-N-CH	Sanctuary 2 Fire Bowl, Electronic Ignition, Chocolate Finish, NG	Sanctuary 2 - Fire Bowl, 39" Diameter x 18" H, Color: Chocolate (Dark Brown), includes FPB-34DBSAWS-N (Fully Electronic Ignition - Requires 120Vac, Ships with Deluxe Weather Cover - Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK31 + FG-AWS-PBO-P) Sold Separately	\$ 5,289.00
SAN2-34DBSAWS-N-RA	Sanctuary 2 Fire Bowl, Electronic Ignition, Raven (Black) Finish, NG	Sanctuary 2 - Fire Bowl, 39" Diameter x 18" H, Color: Raven (Black), includes FPB-34DBSAWS-N (Fully Electronic Ignition - Requires 120Vac, Ships with Deluxe Weather Cover - Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK31 + FG-AWS-PBO-P) Sold Separately	\$ 5,289.00
SAN2-34DBSAWS-N-SL	Sanctuary 2 Fire Bowl, Electronic Ignition, Slate Finish, NG	Sanctuary 2 - Fire Bowl, 39" Diameter x 18" H, Color: Slate (Grey), includes FPB-34DBSAWS-N (Fully Electronic Ignition - Requires 120Vac, Ships with Deluxe Weather Cover - Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK31 + FG-AWS-PBO-P) Sold Separately	\$ 5,289.00
SAN2-34DBSTPSI-AR	Sanctuary 2 Fire Bowl, TPSI Ignition, Artic Finish, NG	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Artic (White), includes FPB-34DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75K BTU, LP Conversion Kit (TPSI-LPK41) sold separately	\$ 3,099.00
SAN2-34DBSTPSI-CH	Sanctuary 2 Fire Bowl, TPSI Ignition, Chocolate Finish, NG	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Chocolate (Dark Brown), includes FPB-34DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75K BTU, LP Conversion Kit (TPSI-LPK41) sold separately	\$ 3,099.00
SAN2-34DBSTPSI-RA	Sanctuary 2 Fire Bowl, TPSI Ignition, Raven (Black) Finish, NG	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Raven (Black), includes FPB-34DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75K BTU, LP Conversion Kit (TPSI-LPK41) sold separately	\$ 3,099.00
SAN2-34DBSTPSI-SL	Sanctuary 2 Fire Bowl, TPSI Ignition, Slate Finish, NG	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Slate (Grey), includes FPB-34DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75K BTU, LP Conversion Kit (TPSI-LPK41) sold separately	\$ 3,099.00
SAN2-34DBSTPSI-AR-P	Sanctuary 2 Fire Bowl, TPSI Ignition, Artic Finish, LP	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Artic (White), includes FPB-34DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 75K BTU	\$ 3,099.00
SAN2-34DBSTPSI-CH-P	Sanctuary 2 Fire Bowl, TPSI Ignition, Chocolate Finish, LP	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Chocolate (Dark Brown), includes FPB-34DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 75K BTU	\$ 3,099.00
SAN2-34DBSTPSI-RA-P	Sanctuary 2 Fire Bowl, TPSI Ignition, Raven (Black) Finish, LP	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Raven (Black), includes FPB-34DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 75K BTU	\$ 3,099.00
SAN2-34DBSTPSI-SL-P	Sanctuary 2 Fire Bowl, TPSI Ignition, Slate Finish, LP	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Slate (Grey), includes FPB-34DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 75K BTU	\$ 3,099.00
SAN2-34DBSMT-AR	Sanctuary 2 Fire Bowl, Match Throw Ignition, Artic Finish, NG	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Artic (White), includes FPB-34DBSMT-N (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK41) sold separately	\$ 2,279.00
SAN2-34DBSMT-CH	Sanctuary 2 Fire Bowl, Match Throw Ignition, Chocolate Finish, NG	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Chocolate (Dark Brown), includes FPB-34DBSMT-N (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK41) sold separately	\$ 2,279.00
SAN2-34DBSMT-RA	Sanctuary 2 Fire Bowl, Match Throw Ignition, Raven (Black) Finish, NG	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Raven (Black), includes FPB-34DBSMT-N (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK41) sold separately	\$ 2,279.00
SAN2-34DBSMT-SL	Sanctuary 2 Fire Bowl, Match Throw Ignition, Slate Finish, NG	Sanctuary 2 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Slate (Grey), includes FPB-34DBSMT-N (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK41) sold separately	\$ 2,279.00
FPB-34DBSAWS-N-SAN	34" Round Stainless Steel Burner for Sanctuary 2, NG	For SANCTUARY 2 - 34" Round Stainless Steel Disc with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 175K BTU - Liquid Propane (OAS-LPK26 Conversion kit required for LP) - Includes Sanctuary 2 Mounting Hardware	\$ 3,789.00
FPB-34DBSAWS-P-SAN	34" Round Stainless Steel Burner for Sanctuary 2, LP	For SANCTUARY 2 - 34" Round Stainless Steel Disc with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 175K BTU - Includes Sanctuary 2 Mounting Hardware	\$ 3,789.00
FPB-34DBSTPSI-N-SAN	34" Round Stainless Steel Burner for Sanctuary 2, NG	34" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 75K BTU - Includes Sanctuary 2 Mounting Hardware	\$ 1,599.00
FPB-34DBSTPSI-P-SAN	34" Round Stainless Steel Burner for Sanctuary 2, LP	34" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 75K BTU - Liquid Propane - Includes Sanctuary 2 Mounting Hardware	\$ 1,599.00

FPB-34DBSMT-N-SAN	34" Round Stainless Steel Burner for Sanctuary 2, NG	For SANCTUARY 2 - 34" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, MT Ignition, for Natural Gas - 65K BTU - Liquid Propane (OAS-LPK41 Conversion kit required for LP) - Includes Sanctuary 2 Mounting Hardware	\$ 779.00
SANCTUARY2-AR	Sanctuary 2 Fire Bowl, NO BURNER SYSTEM, Artic Finish	Sanctuary 2 - Fire Bowl Only - Constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Arctic (White),	\$ 1,500.00
SANCTUARY2-CH	Sanctuary 2 Fire Bowl, NO BURNER SYSTEM, Chocolate Finish	Sanctuary 2 - Fire Bowl Only - Constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Chocolate (Dark Brown)	\$ 1,500.00
SANCTUARY2-RA	Sanctuary 2 Fire Bowl, NO BURNER SYSTEM, Raven (Black) Finish	Sanctuary 2 - Fire Bowl Only - Constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Raven (Black)	\$ 1,500.00
SANCTUARY2-SL	Sanctuary 2 Fire Bowl, NO BURNER SYSTEM, Slate Finish	Sanctuary 2 - Fire Bowl Only - Constructed of high-strength, glass fiber reinforced concrete: 39" Diameter x 18" H, Color: Slate (Grey)	\$ 1,500.00
Sanctuary 3 Fire Bowl Series with Stainless Steel Burner System			
SAN3-26DBSAWS-N-AR	Sanctuary 3 Fire Bowl, Electronic Ignition, Artic Finish, NG	Sanctuary 3 - Fire Bowl, 29" Diameter x 14" H, Color: Artic (White), includes FPB-26DBSAWS-N (Fully Electronic Ignition - Requires 120Vac, Ships with Deluxe Weather Cover - Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK31 + FG-AWS-PBO-P) Sold Separately	\$ 4,679.00
SAN3-26DBSAWS-N-CH	Sanctuary 3 Fire Bowl, Electronic Ignition, Chocolate Finish, NG	Sanctuary 3 - Fire Bowl, 29" Diameter x 14" H, Color: Chocolate (Dark Brown), includes FPB-26DBSAWS-N (Fully Electronic Ignition - Requires 120Vac, Ships with Deluxe Weather Cover - Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK31 + FG-AWS-PBO-P) Sold Separately	\$ 4,679.00
SAN3-26DBSAWS-N-RA	Sanctuary 3 Fire Bowl, Electronic Ignition, Raven (Black) Finish, NG	Sanctuary 3 - Fire Bowl, 29" Diameter x 14" H, Color: Raven (Black), includes FPB-26DBSAWS-N (Fully Electronic Ignition - Requires 120Vac, Ships with Deluxe Weather Cover - Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK31 + FG-AWS-PBO-P) Sold Separately	\$ 4,679.00
SAN3-26DBSAWS-N-SL	Sanctuary 3 Fire Bowl, Electronic Ignition, Slate Finish, NG	Sanctuary 3 - Fire Bowl, 29" Diameter x 14" H, Color: Slate (Grey), includes FPB-26DBSAWS-N (Fully Electronic Ignition - Requires 120Vac, Ships with Deluxe Weather Cover - Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK31 + FG-AWS-PBO-P) Sold Separately	\$ 4,679.00
SAN3-26DBSTPSI-AR	Sanctuary 3 Fire Bowl, TPSI Ignition, Artic Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Artic (White), includes FPB-26DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as NG 75K BTU, LP Conversion Kit (TPSI-LPK41) sold separately	\$ 2,459.00
SAN3-26DBSTPSI-CH	Sanctuary 3 Fire Bowl, TPSI Ignition, Chocolate Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Chocolate (Dark Brown), includes FPB-26DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as NG 75K BTU, LP Conversion Kit (TPSI-LPK41) sold separately	\$ 2,459.00
SAN3-26DBSTPSI-RA	Sanctuary 3 Fire Bowl, TPSI Ignition, Raven (Black) Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Raven (Black), includes FPB-26DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as NG 75K BTU, LP Conversion Kit (TPSI-LPK41) sold separately	\$ 2,459.00
SAN3-26DBSTPSI-SL	Sanctuary 3 Fire Bowl, TPSI Ignition, Slate Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Slate (Grey), includes FPB-26DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as NG 75K BTU, LP Conversion Kit (TPSI-LPK41) sold separately	\$ 2,459.00
SAN3-26DBSTPSI-AR-P	Sanctuary 3 Fire Bowl, TPSI Ignition, Artic Finish, LP	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Artic (White), includes FPB-26DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 75K BTU	\$ 2,459.00
SAN3-26DBSTPSI-CH-P	Sanctuary 3 Fire Bowl, TPSI Ignition, Chocolate Finish, LP	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Chocolate (Dark Brown), includes FPB-26DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 75K BTU	\$ 2,459.00
SAN3-26DBSTPSI-RA-P	Sanctuary 3 Fire Bowl, TPSI Ignition, Raven (Black) Finish, LP	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Raven (Black), includes FPB-26DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 75K BTU	\$ 2,459.00
SAN3-26DBSTPSI-SL-P	Sanctuary 3 Fire Bowl, TPSI Ignition, Slate Finish, LP	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Slate (Grey), includes FPB-26DBSTPSI-N-SAN (TPSI Thermocouple Manual Safety with Battery Spark Ignition Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 75K BTU	\$ 2,459.00
SAN3-26DBSMT-AR	Sanctuary 3 Fire Bowl, MT Ignition, Artic Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Artic (White), includes FPB-26DBSMT-N-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK41) sold separately	\$ 1,639.00
SAN3-26DBSMT-CH	Sanctuary 3 Fire Bowl, MT Ignition, Chocolate Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Chocolate (Dark Brown), includes FPB-26DBSMT-N-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK41) sold separately	\$ 1,639.00
SAN3-26DBSMT-RA	Sanctuary 3 Fire Bowl, MT Ignition, Raven (Black) Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Raven (Black), includes FPB-26DBSMT-N-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK41) sold separately	\$ 1,639.00
SAN3-26DBSMT-SL	Sanctuary 3 Fire Bowl, MT Ignition, Slate Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Slate (Slate), includes FPB-26DBSMT-N-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 75,000 BTU, LP Conversion Kit (OAS-LPK41) sold separately	\$ 1,639.00
FPB-26DBSAWS-N-SAN	26" NG Round Stainless Steel Burner for Sanctuary 3	For SANCTUARY 3 - 26" Round Stainless Steel Disc with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 65K BTU, (OAS-LPK41 + FG-AWS-PBO-Conversion kit required for LP) - Includes Sanctuary 3 Mounting Hardware	\$ 3,759.00
FPB-26DBSAWS-P-SAN	26" LP Round Stainless Steel Burner for Sanctuary 3	For SANCTUARY 3 - 26" Round Stainless Steel Disc with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 65K BTU - Includes Sanctuary 2 Mounting Hardware	\$ 3,759.00
FPB-26DBSTPSI-N-SAN	26" NG Round Stainless Steel Burner for Sanctuary 3	26" Stainless Steel Round Disc, Stainless Steel 16" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 75K BTU - Includes Sanctuary 3 Mounting Hardware	\$ 1,539.00
FPB-26DBSTPSI-P-SAN	26" LP Round Stainless Steel Burner for Sanctuary 3	26" Stainless Steel Round Disc, Stainless Steel 16" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 75K BTU - Includes Sanctuary 3 Mounting Hardware	\$ 1,539.00
FPB-26DBSMT-N-SAN	26" NG Square Stainless Steel Burner for Sanctuary 3	For SANCTUARY 3 - 26" Square Stainless Steel Round Disc with Stainless Steel 16" Burning Spur, MT Ignition, for Natural Gas - 65K BTU - Liquid Propane (OAS-LPK41 Conversion kit required for LP) - Includes Sanctuary 3 Mounting Hardware	\$ 719.00
SANCTUARY3-AR	Sanctuary 3 Fire Bowl, NO BURNER SYSTEM, Artic Finish	Sanctuary 3 - Fire Bowl Only - Constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Arctic (White)	\$ 920.00
SANCTUARY3-CH	Sanctuary 3 Fire Bowl, NO BURNER SYSTEM, Chocolate Finish	Sanctuary 3 - Fire Bowl Only - Constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Chocolate (Dark Brown)	\$ 920.00
SANCTUARY3-RA	Sanctuary 3 Fire Bowl, NO BURNER SYSTEM, Raven (Black) Finish	Sanctuary 3 - Fire Bowl Only - Constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Raven (Black)	\$ 920.00
SANCTUARY3-SL	Sanctuary 3 Fire Bowl, NO BURNER SYSTEM, Slate Finish	Sanctuary 3 - Fire Bowl Only - Constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Slate (Slate)	\$ 920.00
Sanctuary 72 Fire Table Series & Stand Alone Burners			

SAN176-PSTPSI-N-AR	76" Sanctuary 76 Fire Table, TPSI Ignition, Artic Finish, NG	Sanctuary 1-76 - Fire Table with TPSI Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Arctic (White), includes Brass Pro Series Burner LOF-5113FHPSTPSI-N-SAN (TPSI Ignition with Battery Powered Spark Igniter), Ships as Natural Gas 120K BTU - No Cover	\$ 5,679.00
SAN176-PSTPSI-N-CH	76" Sanctuary 76 Fire Table, TPSI Ignition, Chocolate Finish, NG	Sanctuary 1-76 - Fire Table with TPSI Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Chocolate (Dark Brown), includes Brass Pro Series Burner LOF-5113FHPSTPSI-N-SAN (TPSI Ignition with Battery Powered Spark Igniter), Ships as Natural Gas 120K BTU - No Cover	\$ 5,679.00
SAN176-PSTPSI-N-RA	76" Sanctuary 76 Fire Table, TPSI Ignition, Black Finish, NG	Sanctuary 1-76 - Fire Table with TPSI Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Raven (Black), includes Brass Pro Series Burner LOF-5113FHPSTPSI-N-SAN (TPSI Ignition with Battery Powered Spark Igniter), Ships as Natural Gas 120K BTU - No Cover	\$ 5,679.00
SAN176-PSTPSI-N-SL	76" Sanctuary 76 Fire Table, TPSI Ignition, Slate Finish, NG	Sanctuary 1-76 - Fire Table with TPSI Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Slate (Grey), includes Brass Pro Series Burner LOF-5113FHPSTPSI-N-SAN (TPSI Ignition with Battery Powered Spark Igniter), Ships as Natural Gas 120K BTU - No Cover	\$ 5,679.00
SAN176-PSTPSI-P-AR	76" Sanctuary 76 Fire Table, TPSI Ignition, Artic Finish, LP	Sanctuary 1-76 - Fire Table with TPSI Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Arctic (White), includes Brass Pro Series Burner LOF-5113FHPSTPSI-N-SAN (TPSI Ignition with Battery Powered Spark Igniter), Ships as Liquid Propane 150K BTU	\$ 5,679.00
SAN176-PSTPSI-P-CH	76" Sanctuary 76 Fire Table, TPSI Ignition, Chocolate Finish, LP	Sanctuary 1-76 - Fire Table with TPSI Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Chocolate (Dark Brown), includes Brass Pro Series Burner LOF-5113FHPSTPSI-N-SAN (TPSI Ignition with Battery Powered Spark Igniter), Ships as Liquid Propane 150K BTU	\$ 5,679.00
SAN176-PSTPSI-P-RA	76" Sanctuary 76 Fire Table, TPSI Ignition, Black Finish, LP	Sanctuary 1-76 - Fire Table with TPSI Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Raven (Black), includes Brass Pro Series Burner LOF-5113FHPSTPSI-N-SAN (TPSI Ignition with Battery Powered Spark Igniter), Ships as Liquid Propane 150K BTU	\$ 5,679.00
SAN176-PSTPSI-P-SL	76" Sanctuary 76 Fire Table, TPSI Ignition, Slate Finish, LP	Sanctuary 1-76 - Fire Table with TPSI Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Slate (Grey), includes Brass Pro Series Burner LOF-5113FHPSTPSI-N-SAN (TPSI Ignition with Battery Powered Spark Igniter), Ships as Liquid Propane 150K BTU	\$ 5,679.00
SAN176-PSMT-N-AR	76" Sanctuary 76 Fire Table, MT Ignition, Artic Finish, NG	Sanctuary 1-76 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Arctic (White), includes Brass Pro Series Burner LOF-5113FHPSMT-N-SAN (MT Ignition), Ships as Natural Gas 120K BTU - No Cover	\$ 4,829.00
SAN176-PSMT-N-CH	76" Sanctuary 76 Fire Table, MT Ignition, Chocolate Finish, NG	Sanctuary 1-76 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Chocolate (Dark Brown), includes Brass Pro Series Burner LOF-5113FHPSMT-N-SAN (MT Ignition), Ships as Natural Gas 120K BTU - No Cover	\$ 4,829.00
SAN176-PSMT-N-RA	76" Sanctuary 76 Fire Table, MT Ignition, Black Finish, NG	Sanctuary 1-76 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Raven (Black), includes Brass Pro Series Burner LOF-5113FHPSMT-N-SAN (MT Ignition), Ships as Natural Gas 120K BTU - No Cover	\$ 4,829.00
SAN176-PSMT-N-SL	76" Sanctuary 76 Fire Table, MT Ignition, Slate Finish, NG	Sanctuary 1-76 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Slate (Grey), includes Brass Pro Series Burner LOF-5113FHPSMT-N-SAN (MT Ignition), Ships as Natural Gas 120K BTU - No Cover	\$ 4,829.00
SAN176-PSMT-P-AR	76" Sanctuary 76 Fire Table, MT Ignition, Artic Finish, LP	Sanctuary 1-76 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Arctic (White), includes Brass Pro Series Burner LOF-5113FHPSMT-P-SAN (MT Ignition), Ships as Liquid Propane 150K BTU - No Cover	\$ 4,829.00
SAN176-PSMT-P-CH	76" Sanctuary 76 Fire Table, MT Ignition, Chocolate Finish, LP	Sanctuary 1-76 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Chocolate (Dark Brown), includes Brass Pro Series Burner LOF-5113FHPSMT-P-SAN (MT Ignition), Ships as Liquid Propane 150K BTU - No Cover	\$ 4,829.00
SAN176-PSMT-P-RA	76" Sanctuary 76 Fire Table, MT Ignition, Black Finish, LP	Sanctuary 1-76 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Raven (Black), includes Brass Pro Series Burner LOF-5113FHPSMT-P-SAN (MT Ignition), Ships as Liquid Propane 150K BTU - No Cover	\$ 4,829.00
SAN176-PSMT-P-SL	76" Sanctuary 76 Fire Table, MT Ignition, Slate Finish, LP	Sanctuary 1-76 - Fire Table with MT Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 76" L x 38" W x 16" H, Color: Slate (Grey), includes Brass Pro Series Burner LOF-5113FHPSMT-P-SAN (MT Ignition), Ships as Liquid Propane 150K BTU - No Cover	\$ 4,829.00
LOF-5113FHPSAWS-N-SAN	Pro Series "H" Burner for SANCTUARY 76, NG	SANCTUARY 76 Burner - 50.5" X 12.5" Flat Pan, 40" X 6.75" Pro Series "H" Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - NG, 120K BTU	\$ 4,409.00
LOF-5113FHPSAWS-P-SAN	Pro Series "H" Burner for SANCTUARY 76, LP	SANCTUARY 76 Burner - 50.5" X 12.5" Flat Pan, 40" X 6.75" Pro Series "H" Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - LP, 150K BTU	\$ 4,409.00
LOF-5113FHPSTPSI-N-SAN	Pro Series "H" Burner for SANCTUARY 76, NG	SANCTUARY 76 Burner - 50.5" X 12.5" OD, Linear Stainless Steel Flat Pan, 40" X 6.75" Pro Series "H" Burner, TPSI Ignition, NG - 120K BTU	\$ 2,379.00
LOF-5113FHPSTPSI-P-SAN	Pro Series "H" Burner for SANCTUARY 76, LP	SANCTUARY 76 Burner - 50.5" X 12.5" OD, Linear Stainless Steel Flat Pan, 40" X 6.75" Pro Series "H" Burner, TPSI Ignition, LP - 150K BTU	\$ 2,379.00
LOF-5113FHPSMT-N-SAN	Pro Series "H" Burner for SANCTUARY 76, NG	SANCTUARY 76 Burner - 50.5" X 12.5" OD, Linear Stainless Steel Flat Pan, 40" X 6.75" Pro Series "H" Burner, MT Ignition, NG - 120K BTU	\$ 1,529.00
LOF-5113FHPSMT-P-SAN	Pro Series "H" Burner for SANCTUARY 76, LP	SANCTUARY 76 Burner - 50.5" X 12.5" OD, Linear Stainless Steel Flat Pan, 40" X 6.75" Pro Series "H" Burner, MT Ignition, LP - 150K BTU	\$ 1,529.00
LOF-5113FHAWS-N-SAN		SANCTUARY 176 Burner - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 36" X 06" - "H" Burner, AWS Ignition, NG - 125K BTU - No Cover	\$ 3,809.00
LOF-5113FHAWS-P-SAN		SANCTUARY 176 Burner - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 36" X 06" - "H" Burner, AWS Ignition, LP - 125K BTU - No Cover	\$ 3,809.00
LOF-5113FHTPSI-N-SAN		For SANCTUARY 176 - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 36" X 06" - "H" Burner,TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas 125,000 BTU - No Cover	\$ 1,519.00
LOF-5113FHTPSI-P-SAN		For SANCTUARY 176 - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 36" X 06" - "H" Burner,TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane 125,000 BTU - No Cover	\$ 1,519.00
LOF-5113FHMT-N-SAN		SANCTUARY 176 Burner - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 33" X 06" - "H" Burner, MT Ignition, NG - 125K BTU - No Cover	\$ 689.00
Sanctuary 1 Fire Table Series with Brass Pro Burners			
SAN1-PS30LHAWS-N-AR	Sanctuary 1 Fire Table, AWS Ignition, Artic Finish, NG	Sanctuary 1 - Fire Table with AWS Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Arctic (White), includes LOF-3313FHPSAWS-N-SAN, Ships with Deluxe Weather Cover, Ships as Natural Gas 80K BTU	\$ 6,469.00
SAN1-PS30LHAWS-N-CH	Sanctuary 1 Fire Table, AWS Ignition, Chocolate Finish, NG	Sanctuary 1 - Fire Table with AWS Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Chocolate (Dark Brown), includes LOF-3313FHPSAWS-N-SAN, Ships with Deluxe Weather Cover, Ships as Natural Gas 80K BTU	\$ 6,469.00
SAN1-PS30LHAWS-N-RA	Sanctuary 1 Fire Table, AWS Ignition, Black Finish, NG	Sanctuary 1 - Fire Table with AWS Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Raven (Black),includes LOF-3313FHPSAWS-N-SAN, Ships with Deluxe Weather Cover, Ships as Natural Gas 80K BTU	\$ 6,469.00
SAN1-PS30LHAWS-N-CL	Sanctuary 1 Fire Table, AWS Ignition, Slate Finish, NG	Sanctuary 1 - Fire Table with AWS Ignition - Table constructed of high-strength, glass fiber reinforced concrete: 56" L x 38" W x 16" H, Color: Slate (Grey), includes LOF-3313FHPSAWS-N-SAN, Ships with Deluxe Weather Cover, Ships as Natural Gas 80K BTU	\$ 6,469.00

SAN3-26DPSMT-N-AR	Sanctuary 3 Fire Bowl, MT Ignition, Artic Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Arctic (White), includes FPB-26DPSMT-N-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 50K BTU	\$ 1,879.00
SAN3-26DPSMT-N-CH	Sanctuary 3 Fire Bowl, MT Ignition, Chocolate Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Chocolate (Dark Brown), includes FPB-26DPSMT-N-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 50K BTU	\$ 1,879.00
SAN3-26DPSMT-N-RA	Sanctuary 3 Fire Bowl, MT Ignition, Raven (Black) Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Raven (Black), includes FPB-26DPSMT-N-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 50K BTU	\$ 1,879.00
SAN3-26DPSMT-N-SL	Sanctuary 3 Fire Bowl, MT Ignition, Slate Finish, NG	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Slate (Slate), includes FPB-26DPSMT-N-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Natural Gas 50K BTU	\$ 1,879.00
SAN3-26DPSMT-P-AR	Sanctuary 3 Fire Bowl, MT Ignition, Artic Finish, LP	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Arctic (White), includes FPB-26DPSMT-P-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 42K BTU	\$ 1,879.00
SAN3-26DPSMT-P-CH	Sanctuary 3 Fire Bowl, MT Ignition, Chocolate Finish, LP	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Chocolate (Dark Brown), includes FPB-26DPSMT-P-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 42K BTU	\$ 1,879.00
SAN3-26DPSMT-P-RA	Sanctuary 3 Fire Bowl, MT Ignition, Raven (Black) Finish, LP	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Raven (Black), includes FPB-26DPSMT-P-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 42K BTU	\$ 1,879.00
SAN3-26DPSMT-P-SL	Sanctuary 3 Fire Bowl, MT Ignition, Slate Finish, LP	Sanctuary 3 - Fire Bowl constructed of high-strength, glass fiber reinforced concrete: 30" Diameter x 14" H, Color: Slate (Slate), includes FPB-26DPSMT-P-SAN (MT Match Throw Burner System), Ships with Deluxe Weather Cover, Ships as Liquid Propane 42K BTU	\$ 1,879.00
LOF-3313FHPSAWS-N-SAN	SANCTUARY 1 Pro Series "H" Burner, AWS, NG	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" Flat Pan, 24" x 6.75" Pro Series "H" Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - NG, 80KBTU	\$ 4,069.00
LOF-3313FHPSAWS-P-SAN	SANCTUARY 1 Pro Series "H" Burner, AWS, LP	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" Flat Pan, 24" x 6.75" Pro Series "H" Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - LP, 110K BTU	\$ 4,069.00
LOF-3313FHPSTPSI-N-SAN	SANCTUARY 1 Pro Series "H" Burner, TPSI, NG	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 24" x 6.75" Pro Series "H" Burner, TPSI Ignition, NG - 80K BTU	\$ 1,959.00
LOF-3313FHPSTPSI-P-SAN	SANCTUARY 1 Pro Series "H" Burner, TPSI, LP	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 24" x 6.75" Pro Series "H" Burner, TPSI Ignition, LP - 110K BTU	\$ 1,959.00
LOF-3313FHPSTPSI-N-SAN	SANCTUARY 1 Pro Series "H" Burner, MT Ignition, NG	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 24" x 6.75" Pro Series "H" Burner, MT Ignition, NG - 80K BTU	\$ 1,129.00
LOF-3313FHPSTPSI-P-SAN	SANCTUARY 1 Pro Series "H" Burner, MT Ignition, LP	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 24" x 6.75" Pro Series "H" Burner, MT Ignition, LP - 110K BTU	\$ 1,129.00
FPB-34DPSAWS-N-SAN		34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - NG, 145K BTU	\$ 4,309.00
FPB-34DPSAWS-P-SAN		34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - LP, 124K BTU	\$ 4,309.00
FPB-34DPSTPSI-N-SAN		34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, TPSI Ignition, NG - 145K BTU	\$ 2,149.00
FPB-34DPSTPSI-P-SAN		34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, TPSI Ignition, LP - 124K BTU	\$ 2,149.00
FPB-34DPSMT-N-SAN		34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, MT Ignition, NG - 145K BTU	\$ 1,369.00
FPB-34DPSMT-P-SAN		34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, MT Ignition, LP - 124K BTU	\$ 1,369.00
FPB-26DPSAWS-N-SAN		26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - NG, 50K BTU	\$ 3,959.00
FPB-26DPSAWS-P-SAN		26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - LP, 42K BTU	\$ 3,959.00
FPB-26DPSTPSI-N-SAN		26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, TPSI Ignition, NG - 50K BTU	\$ 1,779.00
FPB-26DPSTPSI-P-SAN		26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, TPSI Ignition, LP - 42K BTU	\$ 1,779.00
FPB-26DPSMT-N-SAN		26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, MT Ignition, NG - 50K BTU	\$ 959.00
FPB-26DPSMT-P-SAN		26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, MT Ignition, LP - 42K BTU	\$ 959.00
X-DIR15A10GR		Infrared Heater, 1500W, Hardwired, 120V	\$ 589.99
X-DIR18A10GR		Infrared Heater, 1800W, Hardwired, 240V	\$ 619.99
X-DIR22A10GR		Infrared Heater, 2200W, Hardwired, 240V	\$ 699.99
X-DIR30A10GR		Infrared Heater, 3000W, Hardwired, 240V	\$ 1,339.99
X-DIRP15A10GR		Infrared Heater, 1500W, Plug-in, 120V	\$ 409.99
X-DLW1500B12		Radiant Heater, Black, 1500W, 120V	\$ 899.99
X-DLW2400B24		Radiant Heater, Black, 2400W, 240V	\$ 1,149.99
X-DLW3200B24		Radiant Heater, Black, 3200W, 240V	\$ 1,479.99
X-DLW1500W12		Radiant Heater, White, 1500W, 120V	\$ 949.99
X-DLW2400W24		Radiant Heater, White, 2400W, 240V	\$ 1,199.99
X-DLW3200W24		Radiant Heater, White, 3200W, 240V	\$ 1,549.99
X-DSH20W		Electric Infrared Heater, Steel, 2000W, 240V	\$ 609.99
X-DGR32WNG		Infrared LP - NG Heater, Wall-Mounted	\$ 1,199.99

X-DGR32PLP-HEAD	Infrared LP - NG Heater, Portable	\$ 944.99
X-DGR32PLP-STAND	Infrared LP - NG Heater, Portable	\$ 555.00
X-DLWAC12SIL	Extension Mount & Pole Kit 12" Silver	\$ 199.99
X-DLWAC24SIL	Extension Mount & Pole Kit 24" Silver	\$ 299.99
X-DLWAC36SIL	Extension Mount & Pole Kit 36" Silver	\$ 399.99
X-DLWAC48SIL	Extension Mount & Pole Kit 48" Silver	\$ 499.99
X-DSHSTAND	Floor Stand for the X-DSH20W	\$ 329.99
X-DSHCMB	Ceiling Mount for the X-DSH20W	\$ 239.99
X-TGHCOVER	This is the cover for the Portable LP Gas Heater for off-season storage.	\$ 241.50
X-DGRPOLE-WM	Wall Mount Pole	\$ 429.99
X-THH2400AA	Electric Infrared Heater - 2400W, Hardwired, Color - Black, Remote Control & App Control & Smart Home Connectivity Bluetooth & WIFI, 240V	\$ 1,320.00
XTHH3200AA	Electric Infrared Heater - 3200W, Hardwired, Color - Black, Remote Control & App Control & Smart Home Connectivity Bluetooth & WIFI, 240V	\$ 1,556.00
X-THG2400BA	Electric Radiant Heater - 2400W, Hardwired, Color - Black, Remote Control & App Control & Smart Home Connectivity Bluetooth & WIFI, 240V	\$ 1,429.00
X-THG3200BA	Electric Radiant Heater - 3200W, Hardwired, Color - Black, Remote Control & App Control & Smart Home Connectivity Bluetooth & WIFI, 240V	\$ 1,550.00
X-THB2200BA	Indoor/Outdoor Electric Infra-red Radiant Heater - 2200W, Plug, Color - Black, Remote Control & App Control with Adjustable Timer, Bluetooth & WIFI, Compatible with Google and Amazon Smart Home Platforms	\$ 1,145.00
X-THB3200BA	Indoor/Outdoor Electric Infra-red Radiant Heater - 3200W, Plug, Color - Black, Remote Control & App Control with Adjustable Timer, Bluetooth & WIFI, Compatible with Google and Amazon Smart Home Platforms	\$ 1,636.00
FG-AWS30VDC-GOEK-N	Includes: 290K BTU Capacity 30VDC Valve System for Natural Gas, 30" Pilot Assembly, Heat Shield, Wire Leads, Hardware Bag, GOE-30VDC Power Supply, On/Off Weatherproof Rocker Switch and Stainless Steel Mounting Plate - 290K BTU NG (replaces part # FG-AWS30VDC-RCK)	\$ 3,499.00
FG-AWS30VDC-GOEK-P	Includes: 290K BTU Capacity 30VDC Valve System for Liquid Propane, 30" Pilot Assembly, Heat Shield, Wire Leads, Hardware Bag, GOE-30VDC Power Supply, On/Off Weatherproof Rocker Switch and Stainless Steel Mounting Plate - 290K BTU LP (replaces part # FG-AWS30VDC-RCK)	\$ 3,499.00
GOE-30VDC	30 Volt DC Power Supply for Single Fire Features - Non-Pool Certified	\$ 129.00
FG-AWS30VDC-HC-K-N	NEW HIGHER BTU: 715K BTU Capacity 30VDC Valve System, High Capacity Natural Gas Valve System - 3/4 FIP Inlet, 3/4 FIP Outlet, 30" Pilot Assembly, Mounting Plate for High Capacity Key Valve (3/4" IPS straight Valve with Key) and On/Off Weatherproof Rocker Switch, Heat Shield, Mounting Hardware, Wire 10' AWS Power Wire to Valve, T300-9898-34 (5/8" OD, 1/2" ID Tranquiline Gas Flex Connector, 3/4" Stainless Steel Close Nipple, 5/8" Flare x 3/4" MIP Steel Adapter (Tapped 1/2 FIP), Power Supply and Orifice Not Included - 715K BTU NG	\$ 4,489.00
FG-AWS30VDC-HC-K-P	NEW HIGHER BTU: 715K BTU Capacity 30VDC Valve System, High Capacity Natural Gas Valve System - 3/4 FIP Inlet, 3/4 FIP Outlet, 30" Pilot Assembly, Mounting Plate for High Capacity Key Valve (3/4" IPS straight Valve with Key) and On/Off Weatherproof Rocker Switch, Heat Shield, Mounting Hardware, Wire 10' AWS Power Wire to Valve, T300-9898-34 (5/8" OD, 1/2" ID Tranquiline Gas Flex Connector, 3/4" Stainless Steel Close Nipple, 5/8" Flare x 3/4" MIP Steel Adapter (Tapped 1/2 FIP), Power Supply and Orifice Not Included - 715K BTU LP	\$ 4,489.00
FG-AWS30VDC-K-N	290K BTU Capacity 30VDC Valve System for Natural Gas - 1/2 FIP Inlet, 1/2 FIP Outlet, 30" Pilot Assembly, Mounting Plate for High Capacity Key Valve (3/4" IPS straight Valve with Key) and On/Off Weatherproof Rocker Switch, Heat Shield, Mounting Hardware, Wire 10' AWS Power Wire to Valve, T200-9898-46 (1/2" OD, 3/8" ID Tranquiline Gas Flex Connector, Stainless Steel Coupler, 1/2" Flare x 1/2" MIP Steel Adapter (Tapped 1/2 FIP), Power Supply and Orifice Not Included - 290K BTU NG	\$ 3,499.00
FG-AWS30VDC-K-P	290K BTU Capacity 30VDC Valve System for Liquid Propane - 1/2 FIP Inlet, 1/2 FIP Outlet, 30" Pilot Assembly, Mounting Plate for High Capacity Key Valve (3/4" IPS straight Valve with Key) and On/Off Weatherproof Rocker Switch, Heat Shield, Mounting Hardware, Wire 10' AWS Power Wire to Valve, T200-9898-46 (1/2" OD, 3/8" ID Tranquiline Gas Flex Connector, Stainless Steel Coupler, 1/2" Flare x 1/2" MIP Steel Adapter (Tapped 1/2 FIP), Power Supply and Orifice Not Included - 290K BTU LP	\$ 3,499.00
FG-AWS30VDC-RCK	290K BTU Capacity 30VDC Valve System for Natural Gas - 1/2 FIP Inlet, 1/2 FIP Outlet, 30" Pilot Assembly, Heat Shield, Mounting Hardware, FG-1420-AOD On/Off remote kit with weatherproof enclosure, GOE-30VDC Power Supply, Orifice Not Included - 290K BTU NG	\$ 2,529.99
FG-AWS-PS-30V320	30VDC, 320W Power Supply - POOL CERTIFIED - built into NEMA Approved Enclosure - for use with single installation or up to four fire features, max distance run of 500' - Replaces FG-PS-30V320	\$ 999.00
FG-FR-18SS	18" Double Ring Burner, 304 Stainless Steel, orifice (NG), 1/2" NPT inlet, includes plug and allen wrench, 306-8 (Stainless Steel 1/2 Male to Male Coupler), 75K BTU NG - (OAS-LPK41 Conversion kit required for LP)	\$ 139.00
FG-FR-24SS	24" Double Ring Burner, 304 Stainless Steel, orifice (NG), 1/2" NPT inlet, includes plug and allen wrench, 306-8 (Stainless Steel 1/2 Male to Male Coupler), 125K BTU NG - (OAS-LPK31 Conversion kit required for LP)	\$ 199.00
FG-FR-30SS	30" Double Ring Burner, 304 Stainless Steel, No Orifice Supplied for (NG), 1/2" NPT inlet, includes plug and allen wrench, 250K BTU NG - (OAS-LPK12 Conversion kit required for LP)	\$ 269.00
FG-FR-36SS	36" Double Triple Burner, 304 Stainless Steel, No Orifice Supplied for (NG), 1/2" NPT inlet, includes plug and allen wrench, 250K BTU NG - (OAS-LPK12 Conversion kit required for LP)	\$ 299.00
FG-FR-48SS	48" Double Ring Burner, 304 Stainless Steel, No Orifice Supplied for (NG), 1/2" NPT inlet, includes plug and allen wrench, 250K BTU NG - (OAS-LPK12 Conversion kit required for LP)	\$ 499.00
FG-FR-18SSK	18" Double Ring Burner, 304 Stainless Steel, orifice (NG), Tranquiline Stainless Steel gas flex line, key valve, polished chrome key valve cover and 12" polished chrome key, fittings - 1/2" NPT inlet, includes plug and allen wrench, 306-8 (Stainless Steel 1/2 Male to Male Coupler), 75K BTU NG -- (OAS-LPK41 Conversion kit required for LP)	\$ 249.00
FG-FR-24SSK	24" Double Ring Burner, 304 Stainless Steel, orifice (NG), Tranquiline Stainless Steel gas flex line, key valve, polished chrome key valve cover and 12" polished chrome key, fittings - 1/2" NPT inlet, includes plug and allen wrench, 306-8 (Stainless Steel 1/2 Male to Male Coupler), 125K BTU NG - (OAS-LPK31 Conversion kit required for LP)	\$ 309.00
FG-FR-30SSK	30" Triple Ring Burner, 304 Stainless Steel, Tranquiline Stainless Steel gas flex line, key valve, polished chrome key valve cover and 12" polished chrome key, fittings - 3/4" NPT inlet, includes plug and allen wrench, 3/4" to 1/2" adapter - No Orifice Supplied - 250K BTU NG - (OAS-LPK12 Conversion kit required for LP)	\$ 379.00
FG-FR-36SSK	36" Double Triple Burner, 304 Stainless Steel, No Orifice Supplied for (NG), Tranquiline Stainless Steel gas flex line, fittings - 1/2" NPT inlet, includes plug and allen wrench, 250K BTU NG -- (OAS-LPK12 Conversion kit required for LP)	\$ 409.00
FG-FR-48SSK	48" Triple Ring Burner, 304 Stainless Steel, Tranquiline Stainless Steel gas flex line, key valve, polished chrome key valve cover and 12" polished chrome key, fittings - 3/4" NPT inlet, includes plug and allen wrench, 3/4" to 1/2" adapter - No Orifice Supplied - 250K BTU NG - (OAS-LPK12 Conversion kit required for LP)	\$ 609.00
FG-H-2406SS	24" X 6" H Style Stainless Steel Burner, orifice (NG) - 75K BTU NG - Liquid Propane (OAS-LPK41 Conversion kit required for LP)	\$ 239.00
FG-H-3006SS	30 X 6" H Style Stainless Steel Burner, orifice (NG) - 100K BTU NG - (OAS-LPK35 Conversion kit required for LP)	\$ 259.00
FG-H-3606SS	36" X 6" H Style Stainless Steel Burner, orifice (NG) - 125K BTU NG - Liquid Propane (OAS-LPK31 Conversion kit required for LP)	\$ 259.00
FG-H-4806SS	48" X 6" H Style Stainless Steel Burner, orifice (NG) - 175K BTU NG - Liquid Propane (OAS-LPK26 Conversion kit required for LP)	\$ 299.00
FG-H-2110SS	21" X 10" H Style Stainless Steel Burner, orifice (NG) - 75K BTU NG - (OAS-LPK41 Conversion kit required for LP)	\$ 239.00
FG-H-2710SS	27 X 10" H Style Stainless Steel Burner, 304 Stainless Steel, orifice (NG) - 100K BTU NG - (OAS-LPK35 Conversion kit required for LP)	\$ 239.00

FG-PSBR-SF11-NG	11" Pro Series Brass Snow Flake Burner, 50K BTU - NG	\$ 289.00
FG-PSBR-SF18-NG	18" Pro Series Brass Snow Flake Burner, 145K BTU - NG	\$ 529.00
FG-PSBR-SF25-NG	25" Pro Series Brass Snow Flake Burner, 260K BTU - NG	\$ 819.00
FG-PSBR-SF32-NG	32" Pro Series Brass Snow Flake Burner, 426K BTU - NG	\$ 1,099.00
FG-PSBR-SF11-LP	11" Pro Series Brass Snow Flake Burner, 42K BTU - LP	\$ 289.00
FG-PSBR-SF18-LP	18" Pro Series Brass Snow Flake Burner, 124K BTU - LP	\$ 529.00
FG-PSBR-SF25-LP	25" Pro Series Brass Snow Flake Burner, 240K BTU - LP	\$ 819.00
FG-PSBR-SF32-LP	32" Pro Series Brass Snow Flake Burner, 402K BTU - LP	\$ 1,099.00
FG-PSBR-SF11-NGK	11" Pro Series Brass Snow Flake Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 50K BTU - NG	\$ 379.00
FG-PSBR-SF18-NGK	18" Pro Series Brass Snow Flake Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 145K BTU - NG	\$ 619.00
FG-PSBR-SF25-NGK	25" Pro Series Brass Snow Flake Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 260K BTU - NG	\$ 909.00
FG-PSBR-SF32-NGK	32" Pro Series Brass Snow Flake Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 426K BTU - NG	\$ 1,189.00
FG-PSBR-SF11-LPK	11" Pro Series Brass Snow Flake Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 42K BTU - LP	\$ 379.00
FG-PSBR-SF18-LPK	18" Pro Series Brass Snow Flake Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 124K BTU - LP	\$ 619.00
FG-PSBR-SF25-LPK	25" Pro Series Brass Snow Flake Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 240K BTU - LP	\$ 909.00
FG-PSBR-SF32-LPK	32" Pro Series Brass Snow Flake Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 402K BTU - LP	\$ 1,189.00
FG-PSBR-BS10-NG	10" Pro Series Brass Burning Spur, 80K BTU - NG	\$ 289.00
FG-PSBR-BS14-NG	14" Pro Series Brass Burning Spur, 125K BTU - NG	\$ 479.00
FG-PSBR-BS10-LP	10" Pro Series Brass Burning Spur, 95K BTU - LP	\$ 289.00
FG-PSBR-BS14-LP	14" Pro Series Brass Burning Spur, 160K BTU - LP	\$ 479.00
FG-PSBR-BS10-NGK	10" Pro Series Brass Burning Spur Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 80K BTU - NG	\$ 379.00
FG-PSBR-BS14-NGK	14" Pro Series Brass Burning Spur Kit: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 125K BTU - NG	\$ 569.00
FG-PSBR-BS10-LPK	10" Pro Series Brass Burning Spur Kit includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 95K BTU - LP	\$ 379.00
FG-PSBR-BS14-LPK	14" Pro Series Brass Burning Spur Kit: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 160K BTU - LP	\$ 569.00
FG-PSBR-H24-NG	24" x 6.75" Pro Series "H" Burner, 80K BTU - NG	\$ 659.00
FG-PSBR-H30-NG	30" x 6.75" Pro Series "H" Burner, 90K BTU - NG	\$ 829.00
FG-PSBR-H40-NG	40" x 6.75" Pro Series "H" Burner, 120K BTU - NG	\$ 929.00
FG-PSBR-H50-NG	60" x 6.75" Pro Series "H" Burner, 160K BTU - NG	\$ 1,039.00
FG-PSBR-H60-NG	60" x 6.75" Pro Series "H" Burner, 180K BTU-NG	\$ 1,219.00
FG-PSBR-H80-NG	24" x 6.75" Pro Series "H" Burner, 250K BTU - NG	\$ 1,549.00
FG-PSBR-H24-LP	24" x 6.75" Pro Series "H" Burner, 110K BTU - LP	\$ 659.00
FG-PSBR-H30-LP	30" x 6.75" Pro Series "H" Burner, 115K BTU - LP	\$ 829.00
FG-PSBR-H40-LP	40" x 6.75" Pro Series "H" Burner 150K BTU - LP	\$ 929.00
FG-PSBR-H50-LP	50" x 6.75" Pro Series "H" Burner, 175K BTU - LP	\$ 1,039.00
FG-PSBR-H60-LP	60" x 6.75" Pro Series "H" Burner, 200K BTU-LP	\$ 1,219.00
FG-PSBR-H80-LP	24" x 6.75" Pro Series "H" Burner, 240K BTU - LP	\$ 1,549.00
FG-PSBR-H24-NGK	24" x 6.75" Pro Series "H" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 80K BTU - NG	\$ 749.00
FG-PSBR-H30-NGK	30" x 6.75" Pro Series "H" Burner includes: Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 90K BTU - NG	\$ 919.00
FG-PSBR-H40-NGK	40" x 6.75" Pro Series "H" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key- 120K BTU - NG	\$ 1,019.00
FG-PSBR-H50-NGK	60" x 6.75" Pro Series "H" Burner includes: Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 160K BTU - NG	\$ 1,129.00
FG-PSBR-H60-NGK	60" x 6.75" Pro Series "H" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 180K BTU-NG	\$ 1,309.00
FG-PSBR-H80-NGK	80" x 6.75" Pro Series "H" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 250K BTU - NG	\$ 1,639.00
FG-PSBR-H24-LPK	24" x 6.75" Pro Series "H" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 110K BTU - LP	\$ 749.00
FG-PSBR-H30-LPK	30" x 6.75" Pro Series "H" Burner includes: Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 115K BTU - LP	\$ 919.00
FG-PSBR-H40-LPK	40" x 6.75" Pro Series "H" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key- 150K BTU - LP	\$ 1,019.00
FG-PSBR-H50-LPK	50" x 6.75" Pro Series "H" Burner includes: Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 175K BTU - LP	\$ 1,129.00
FG-PSBR-H60-LPK	60" x 6.75" Pro Series "H" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 200K BTU-LP	\$ 1,309.00
FG-PSBR-H80-LPK	80" x 6.75" Pro Series "H" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 240K BTU - LP	\$ 1,639.00
FG-PSBR-T24-NG	24" Pro Series "T" Burner, 50K BTU - NG	\$ 389.00
FG-PSBR-T38-NG	38" Pro Series "T" Burner, 90K BTU - NG	\$ 539.00
FG-PSBR-T44-NG	44" Pro Series "T" Burner, 100K BTU - NG	\$ 669.00
FG-PSBR-T56-NG	56" Pro Series "T" Burner, 135K BTU - NG	\$ 789.00
FG-PSBR-T68-NG	68" Pro Series "T" Burner, 140K BTU - LP	\$ 909.00
FG-PSBR-T86-NG	86" Pro Series "T" Burner, 145K BTU - NG	\$ 1,039.00

FG-PSBR-T90-NG	90" Pro Series "T" Burner, 165K BTU - NG	\$ 1,169.00
FG-PSBR-T24-LP	24" Pro Series "T" Burner, 60K BTU - LP	\$ 389.00
FG-PSBR-T38-LP	38" Pro Series "T" Burner, 95K BTU - LP	\$ 539.00
FG-PSBR-T44-LP	44" Pro Series "T" Burner, 110K BTU - LP	\$ 669.00
FG-PSBR-T56-LP	56" Pro Series "T" Burner, 140K BTU - LP	\$ 789.00
FG-PSBR-T68-LP	68" Pro Series "T" Burner, 170K BTU - LP	\$ 909.00
FG-PSBR-T86-LP	86" Pro Series "T" Burner, 215K BTU - LP	\$ 1,039.00
FG-PSBR-T90-LP	90" Pro Series "T" Burner, 215K BTU - LP	\$ 1,169.00
FG-PSBR-T24-NGK	24" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 50K BTU - NG	\$ 479.00
FG-PSBR-T38-NGK	38" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 90K BTU - NG	\$ 629.00
FG-PSBR-T44-NGK	44" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 100K BTU - NG	\$ 759.00
FG-PSBR-T56-NGK	56" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 135K BTU - NG	\$ 879.00
FG-PSBR-T68-NGK	68" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 140K BTU - LP	\$ 999.00
FG-PSBR-T86-NGK	86" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 145K BTU - NG	\$ 1,129.00
FG-PSBR-T90-NGK	90" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 165K BTU - NG	\$ 1,259.00
FG-PSBR-T24-LPK	24" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 60K BTU - LP	\$ 479.00
FG-PSBR-T38-LPK	38" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 95K BTU - LP	\$ 629.00
FG-PSBR-T44-LPK	44" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 95K BTU - LP	\$ 759.00
FG-PSBR-T56-LPK	56" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 140K BTU - LP	\$ 879.00
FG-PSBR-T68-LPK	68" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 170K BTU - LP	\$ 999.00
FG-PSBR-T86-LPK	86" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 215K BTU - LP	\$ 1,129.00
FG-PSBR-T90-LPK	90" Pro Series "T" Burner includes: 46" Tranquiline Stainless Steel Gas Flex Line, Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - 215K BTU - LP	\$ 1,259.00
FPB-25RBSAWS-N *	25" Round Stainless Steel Drop-In Pan with Lip, 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120VDC) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 125K BTU, (OAS-LPK31 + FG-AWS-PBO-Conversion kit required for LP)	\$ 4,079.00
FPB-29RBSAWS-N	29" Round Stainless Steel Drop-In Pan with Lip, 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 125K BTU - (OAS-LPK31 + FG-AWS-PBO-Conversion kit required for LP)	\$ 4,189.00
FPB-33RBSAWS-N	33" Round Stainless Steel Drop-In Pan with Lip, 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 175K BTU - (OAS-LPK26 Conversion kit required for LP)	\$ 4,299.00
FPB-25RBSAWS-P *	25" Round Stainless Steel Drop-In Pan with Lip, 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 125K BTU	\$ 4,079.00
FPB-29RBSAWS-P	29" Round Stainless Steel Drop-In Pan with Lip, 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 125K BTU	\$ 4,189.00
FPB-33RBSAWS-P	33" Round Stainless Steel Drop-In Pan with Lip, 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 175K BTU	\$ 4,299.00
FPB-26DBSAWS-N	26" Round Stainless Steel Disc with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 125K BTU, (OAS-LPK31 + FG-AWS-PBO-Conversion kit required for LP)	\$ 3,939.00
FPB-29DBSAWS-N	29" Round Stainless Steel Disc with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 125K BTU, (OAS-LPK31 + FG-AWS-PBO-Conversion kit required for LP)	\$ 3,969.00
FPB-34DBSAWS-N	34" Round Stainless Steel Disc with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 175K BTU - Liquid Propane (OAS-LPK26 Conversion kit required for LP)	\$ 4,089.00
FPB-39DBSAWS-N	39" Round Stainless Steel Disc with 36" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 250K BTU - Liquid Propane (OAS-LPK12 Conversion kit required for LP)	\$ 4,259.00
FPB-44DBSAWS-N	44" Round Stainless Steel Disc with 36" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 250K BTU - Liquid Propane (OAS-LPK12 Conversion kit required for LP)	\$ 4,499.00
FPB-26DBSAWS-P	26" Round Stainless Steel Disc with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 125K BTU	\$ 3,939.00
FPB-29DBSAWS-P	29" Round Stainless Steel Disc with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 125K BTU	\$ 3,969.00
FPB-34DBSAWS-P	34" Round Stainless Steel Disc with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 175K BTU	\$ 4,089.00
FPB-39DBSAWS-P	39" Round Stainless Steel Disc with 36" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 250K BTU	\$ 4,259.00
FPB-44DBSAWS-P	44" Round Stainless Steel Disc with 36" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 250K BTU	\$ 4,499.00
FPB-19RBS16TPSI-N *	19" Stainless Steel Round Pan with Stainless Steel 16" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 75K BTU	\$ 1,489.00
FPB-25RBS22TPSI-N *	25" Stainless Steel Round Pan with Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 125K BTU	\$ 1,659.00
FPB-29RBS22TPSI-N	29" Stainless Steel Round Pan with Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 125K BTU	\$ 1,739.00
FPB-33RBS31TPSI-N	33" Stainless Steel Round Pan with Stainless Steel 31" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 150K BTU	\$ 1,879.00
FPB-19RBS16TPSI-P *	19" Stainless Steel Round Pan with Stainless Steel 16" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 75K BTU	\$ 1,489.00
FPB-25RBS22TPSI-P *	25" Stainless Steel Round Pan with Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane- 125K BTU	\$ 1,659.00
FPB-29RBS22TPSI-P	29" Stainless Steel Round Pan with Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 125K BTU	\$ 1,739.00

FPB-33RBS31TPSI-P	33" Stainless Steel Round Pan with Stainless Steel 31" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 150K BTU	\$ 1,879.00
FPB-26DBS22TPSI-N *	26" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 125K BTU	\$ 1,589.00
FPB-29DBS22TPSI-N	29" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, TPSI Ignition with Spark Ignition, for Natural Gas - 125K BTU	\$ 1,639.00
FPB-34DBS31TPSI-N	34" Stainless Steel Round Disc, Stainless Steel 31" Burning Spur, TPSI Ignition with Spark Ignition, for Natural Gas - 150K BTU	\$ 1,829.00
FPB-39DBS31TPSI-N	39" Stainless Steel Round Disc, Stainless Steel 31" Burning Spur, TPSI Ignition with Spark Ignition, for Natural Gas - 150K BTU	\$ 1,999.00
FPB-26DBS22TPSI-P *	26" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 125K BTU	\$ 1,589.00
FPB-29DBS22TPSI-P	29" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, TPSI Ignition with Spark Ignition, for Liquid Propane - 125K BTU	\$ 1,639.00
FPB-34DBS31TPSI-P	34" Stainless Steel Round Disc, Stainless Steel 31" Burning Spur, TPSI Ignition with Spark Ignition, for Liquid Propane - 150K BTU	\$ 1,829.00
FPB-39DBS31TPSI-P	39" Stainless Steel Round Disc, Stainless Steel 31" Burning Spur, TPSI Ignition with Spark Ignition, for Liquid Propane - 150K BTU	\$ 1,999.00
FPB-20SBSAWS-N *	20" Square Stainless Steel Drop-In Pan with 16" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 75K BTU - Liquid Propane (OAS-LPK41 + FG-AWS-PBO-Conversion kit required for LP)	\$ 3,899.00
FPB-26SBSAWS-N *	26" Square Stainless Steel Drop-In Pan with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 125K BTU, (OAS-LPK41 Conversion kit + FG-AWS-PBO-Conversion kit required for LP)	\$ 4,049.00
FPB-32SBSAWS-N	32" Square Stainless Steel Drop-In Pan with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 175K BTU - Liquid Propane (OAS-LPK26 Conversion kit required for LP)	\$ 4,199.00
FPB-38SBSAWS-N	38" Square Stainless Steel Drop-In Pan with 36" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 250K BTU - Liquid Propane (OAS-LPK12) Conversion kit required for LP)	\$ 4,699.00
FPB-20SBSAWS-P *	20" Square Stainless Steel Drop-In Pan with 16" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 75K BTU	\$ 3,899.00
FPB-26SBSAWS-P *	26" Square Stainless Steel Drop-In Pan with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 125K BTU	\$ 4,049.00
FPB-32SBSAWS-P	32" Square Stainless Steel Drop-In Pan with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane 175K BTU	\$ 4,199.00
FPB-38SBSAWS-P	38" Square Stainless Steel Drop-In Pan with 36" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 250K BTU	\$ 4,699.00
FPB-25SBSAWS-N *	25" Square Flat Stainless Steel Pan with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 125K BTU, (OAS-LPK12 + FG-AWS-PBO-Conversion kit required for LP)	\$ 3,899.00
FPB-30SBSAWS-N	30" Square Flat Stainless Steel Pan with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 125K BTU, (OAS-LPK31 + FG-AWS-PBO-Conversion kit required for LP)	\$ 4,039.00
FPB-34SBSAWS-N	34" Square Flat Stainless Steel Pan with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 175K BTU - Liquid Propane (OAS-LPK26 Conversion kit required for LP)	\$ 4,179.00
FPB-46SBSAWS-N	46" Square Flat Stainless Steel Pan with 36" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 250K BTU - Liquid Propane (OAS-LPK12 Conversion kit required for LP)	\$ 4,829.00
FPB-25SBSAWS-P *	25" Square Flat Stainless Steel Pan with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 125K BTU	\$ 3,899.00
FPB-30SBSAWS-P	30" Square Flat Stainless Steel Pan with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 125K BTU	\$ 4,039.00
FPB-34SBSAWS-P	34" Square Flat Stainless Steel Pan with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane 175K BTU	\$ 4,179.00
FPB-46SBSAWS-P	46" Square Flat Stainless Steel Pan with 36" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 250K BTU	\$ 4,829.00
FPB-20SBS16TPSI-N *	20" Stainless Steel Square Pan with Stainless Steel 16" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas -75K BTU	\$ 1,589.00
FPB-26SBS22TPSI-N *	26" Stainless Steel Square Pan with Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 125K BTU	\$ 1,729.00
FPB-32SBS31TPSI-N	32" Stainless Steel Square Pan with Stainless Steel 31" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 150K BTU	\$ 1,969.00
FPB-20SBS16TPSI-P *	20" Stainless Steel Square Pan with Stainless Steel 16" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 75K BTU	\$ 1,589.00
FPB-26SBS22TPSI-P *	26" Stainless Steel Square Pan with Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane- 125K BTU	\$ 1,729.00
FPB-32SBS31TPSI-P	32" Stainless Steel Square Pan with Stainless Steel 31" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 150K BTU	\$ 1,969.00
FPB-25SBS22TPSI-N	25" Stainless Steel Square Flat Pan, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter - 125K BTU - Natural Gas	\$ 1,619.00
FPB-30SBS22TPSI-N	30" Square Stainless Steel Flat Pan, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 125K BTU	\$ 1,709.00
FPB-34SBS31TPSI-N	34" Square Stainless Steel Flat Pan, Stainless Steel 31" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter for Natural Gas 150K BTU	\$ 1,789.00
FPB-25SBS22TPSI-P	25" Stainless Steel Square Flat Pan, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter - 125K BTU - Liquid Propane	\$ 1,619.00
FPB-30SBS22TPSI-P	30" Square Stainless Steel Flat Pan, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 125K BTU	\$ 1,709.00
FPB-34SBS31TPSI-P	34" Square Stainless Steel Flat Pan, Stainless Steel 31" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter for Liquid Propane 150K BTU	\$ 1,789.00
LOF-2412HAWS-N *	24" X 12" ID, Linear Stainless Steel Drop-In Pan with Lip, 21" X 10" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 75,000 BTU	\$ 3,719.00
LOF-3012HAWS-N *	30" X 12" ID, Linear Stainless Steel Drop-In Pan with Lip, 27" X 10" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 100,000 BTU	\$ 3,799.00

LOF-6016FHAWS-P	60" X 16" ID, Linear Stainless Steel Flat Pan, 57" X 10" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 175,000 BTU	\$ 3,969.00
LOF-7216FHAWS-P	72" X 16" ID, Linear Stainless Steel Flat Pan, 69" X 10" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 200,000 BTU	\$ 4,099.00
LOF-8416FHAWS-P	84" X 16" ID, Linear Stainless Steel Flat Pan, 81" X 10" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 225,000 BTU	\$ 4,189.00
LOF-9616FHAWS-P *	96" X 16" ID, Linear Stainless Steel Flat Pan, 93" X 10" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 250,000 BTU	\$ 4,449.00
LOF-2412HTPSI-N *	24" X 12" ID, Linear Stainless Steel Drop-In Pan with Lip, 21"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 75K BTU	\$ 1,499.00
LOF-3012HTPSI-N *	30" X 12" ID, Linear Stainless Steel Drop-In Pan with Lip, 27"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 100K BTU	\$ 1,599.00
LOF-3612HTPSI-N	36" X 12" ID, Linear Stainless Steel Drop-In Pan with Lip, 33"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 100K BTU	\$ 1,699.00
LOF-3614HTPSI-N	36" X 14" ID, Linear Stainless Steel Drop-In Pan with Lip, 33"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 125K BTU	\$ 1,749.00
LOF-4214HTPSI-N	42" X 14" ID, Linear Stainless Steel Drop-In Pan with Lip, 33"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 125K BTU	\$ 1,849.00
LOF-4814HTPSI-N	48" X 14" ID, Linear Stainless Steel Drop-In Pan with Lip, 48"x 14" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter- NG, 150K BTU	\$ 1,899.00
LOF-2412HTPSI-P	24" X 12" ID, Linear Stainless Steel Drop-In Pan with Lip, 21"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 75K BTU	\$ 1,499.00
LOF-3012HTPSI-P	30" X 12" ID, Linear Stainless Steel Drop-In Pan with Lip, 27"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 100K BTU	\$ 1,599.00
LOF-3614HTPSI-P	36" X 14" ID, Linear Stainless Steel Drop-In Pan with Lip, 33"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 125K BTU	\$ 1,749.00
LOF-4214HTPSI-P	42" X 14" ID, Linear Stainless Steel Drop-In Pan with Lip, 33"x10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 125K BTU	\$ 1,849.00
LOF-4814HTPSI-P	48" X 14" ID, Linear Stainless Steel Drop-In Pan with Lip, 48"x 14" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 150K BTU	\$ 1,899.00
LOF-2414FHTPSI-N *	24" X 14" ID, Linear Stainless Steel Flat Pan, 21"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 75K BTU	\$ 1,399.00
LOF-3014FHTPSI-N *	30" X 14" ID, Linear Stainless Steel Flat Pan, 27"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 100K BTU	\$ 1,499.00
LOF-3614FHTPSI-N	36" X 14" ID, Linear Stainless Steel Flat Pan, 33"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 125K BTU	\$ 1,649.00
LOF-4814FHTPSI-N	48" X 14" ID, Linear Stainless Steel Flat Pan, 48"x 14" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter for Natural Gas, 150K BTU	\$ 1,799.00
LOF-2414FHTPSI-P *	24" X 14" ID, Linear Stainless Steel Flat Pan, 21"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 75K BTU	\$ 1,399.00
LOF-3014FHTPSI-P *	30" X 14" ID, Linear Stainless Steel Flat Pan, 27"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 100K BTU	\$ 1,499.00
LOF-3614FHTPSI-P	36" X 14" ID, Linear Stainless Steel Flat Pan, 33"x 10" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter for Liquid Propane, 125K BTU	\$ 1,649.00
LOF-4814FHTPSI-P	48" X 14" ID, Linear Stainless Steel Flat Pan, 48"x 14" "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 150K BTU	\$ 1,799.00
LOF-2412HMT-N *	24" X 12" ID, Linear Stainless Steel Drop-In Pan with Lip, 21"x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 75,000 BTU - (Liquid Propane requires OAS-LPK41 Conversion kit)	\$ 709.00
LOF-3012HMT-N *	30" X 12" ID, Linear Stainless Steel Drop-In Pan with Lip, 27"x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 100,000 BTU - (Liquid Propane requires OAS-LPK35 Conversion kit)	\$ 799.00
LOF-3614HMT-N	36" X 14" ID, Linear Stainless Steel Drop-In Pan with Lip, 33"x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 125,000 BTU - (Liquid Propane requires OAS-LPK31 Conversion kit)	\$ 899.00
LOF-4214HMT-N	42" X 14" ID, Linear Stainless Steel Drop-In Pan with Lip, 33"x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 125,000 BTU - (Liquid Propane requires OAS-LPK31 Conversion kit)	\$ 999.00
LOF-4814HMT-N	48" X 14" ID, Linear Stainless Steel Drop-In Pan with Lip, 45"x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 150,000 BTU - (Liquid Propane requires OAS-LPK29 Conversion kit)	\$ 1,049.00
LOF-6016HMT-N	60" X 16" ID, Linear Stainless Steel Drop-In Pan with Lip, 57"x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 175,000 BTU - (Liquid Propane requires OAS-LPK26 Conversion kit)	\$ 1,199.00
LOF-7216HMT-N	72" X 16" ID, Linear Stainless Steel Drop-In Pan with Lip, 69"x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 200,000 BTU - (Liquid Propane requires OAS-LPK22 Conversion kit)	\$ 1,409.00
LOF-8416HMT-N	84" X 16" ID, Linear Stainless Steel Drop-In Pan with Lip, 81"x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 225,000 BTU - (Liquid Propane requires OAS-LPK19 Conversion kit)	\$ 1,599.00
LOF-9616HMT-N	96" X 16" ID, Linear Stainless Steel Drop-In Pan with Lip, 93"x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 250,000 BTU - (Liquid Propane requires OAS-LPK12 Conversion kit)	\$ 1,899.00
LOF-2414FHMT-N *	24" X 14" OD, Linear Stainless Steel Flat Pan, 21" x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 75,000 BTU - (Liquid Propane requires OAS-LPK41 Conversion kit)	\$ 609.00
LOF-3014FHMT-N *	30" X 14" OD, Linear Stainless Steel Flat Pan, 27" x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 100,000 BTU - (Liquid Propane requires OAS-LPK35 Conversion kit)	\$ 639.00
LOF-3313FHMT-N *	32 3/4" x 12 3/4" Linear Stainless Steel Flat Pan, 30" x 6" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 100,000 BTU - (Liquid Propane requires OAS-LPK35 Conversion kit)	\$ 709.00
LOF-3614FHMT-N	36" X 14" OD, Linear Stainless Steel Flat Pan, 33" x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 125,000 BTU - (Liquid Propane requires OAS-LPK31 Conversion kit)	\$ 739.00
LOF-4814FHMT-N	48" X 14" OD, Linear Stainless Steel Flat Pan, 45" x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 150,000 BTU - (Liquid Propane requires OAS-LPK29 Conversion kit)	\$ 819.00
LOF-5113FHMT-N	SANCTUARY 76 Burner - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 36" X 6" - "H" Burner, MT Ignition, NG - 125K BTU	\$ 809.00
LOF-6016FHMT-N	60" X 16" OD, Linear Stainless Steel Flat Pan, 57" x 10" "H" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 175,000 BTU - (Liquid Propane requires OAS-LPK26 Conversion kit)	\$ 879.00

LOF-7208FTAWS-P *	72" X 08" ID, Linear Stainless Steel Flat Pan, 69" "T" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 150,000 BTU	\$ 3,899.00
LOF-8408FTAWS-P *	84" X 08" ID, Linear Stainless Steel Flat Pan, 81" "T" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 175,000 BTU	\$ 3,999.00
LOF-9608FTAWS-P *	96" X 08" ID, Linear Stainless Steel Flat Pan, 93" "T" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) for Liquid Propane, 200,000 BTU	\$ 4,199.00
LOF-2406TTPSI-N *	24" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 21" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter for Natural Gas, 50K BTU	\$ 1,349.00
LOF-3006TTPSI-N *	30" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 27" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter for Natural Gas, 50K BTU	\$ 1,429.00
LOF-3606TTPSI-N	36" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 33" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter for Natural Gas, 75K BTU	\$ 1,519.00
LOF-4806TTPSI-N	48" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 45" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 100K BTU	\$ 1,549.00
LOF-6006TTPSI-N	60" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 57" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter for Natural Gas, 125K BTU	\$ 1,599.00
LOF-7206TTPSI-N	72" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 69" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 150K BTU	\$ 1,699.00
LOF-2406TTPSI-P	24" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 21" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter for Liquid Propane, 50K BTU	\$ 1,349.00
LOF-3006TTPSI-P	30" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 27" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter for Liquid Propane, 50K BTU	\$ 1,429.00
LOF-3606TTPSI-P	36" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 33" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter for Liquid Propane, 75K BTU	\$ 1,519.00
LOF-4806TTPSI-P	48" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 45" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 100K BTU	\$ 1,549.00
LOF-6006TTPSI-P	60" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 57" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 125K BTU	\$ 1,599.00
LOF-7206TTPSI-P	72" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 69" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter for Natural Gas, 150K BTU	\$ 1,699.00
LOF-2408FTTTPSI-N *	24" X 8" OD, Linear Stainless Steel Flat Pan, 21" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 50K BTU	\$ 1,399.00
LOF-3008FTTTPSI-N *	30" X 8" OD, Linear Stainless Steel Flat Pan, 27" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 50K BTU	\$ 1,449.00
LOF-3608FTTTPSI-N	36" X 8" OD, Linear Stainless Steel Flat Pan, 33" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 75K BTU	\$ 1,499.00
LOF-4808FTTTPSI-N	48" X 8" OD, Linear Stainless Steel Flat Pan, 45" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 100K BTU	\$ 1,549.00
LOF-6008FTTTPSI-N	60" X 8" OD, Linear Stainless Steel Flat Pan, 57" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 100K BTU	\$ 1,599.00
LOF-7208FTTTPSI-N	72" X 8" OD, Linear Stainless Steel Flat Pan, 69" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas, 150K BTU	\$ 1,699.00
LOF-2408FTTTPSI-P	24" X 8" OD, Linear Stainless Steel Flat Pan, 21" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 50K BTU	\$ 1,399.00
LOF-3008FTTTPSI-P	30" X 8" OD, Linear Stainless Steel Flat Pan, 27" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 50K BTU	\$ 1,449.00
LOF-3608FTTTPSI-P	36" X 8" OD, Linear Stainless Steel Flat Pan, 33" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 75K BTU	\$ 1,499.00
LOF-4808FTTTPSI-P	48" X 8" OD, Linear Stainless Steel Flat Pan, 45" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 100K BTU	\$ 1,549.00
LOF-6008FTTTPSI-P	60" X 8" OD, Linear Stainless Steel Flat Pan, 57" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 100K BTU	\$ 1,599.00
LOF-7208FTTTPSI-P	72" X 8" OD, Linear Stainless Steel Flat Pan, 69" "T" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane, 150K BTU	\$ 1,699.00
LOF-2406TMT-N *	24" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 21" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 50,000 BTU - (Liquid Propane requires OAS-LPK47 Conversion kit)	\$ 479.00
LOF-3006TMT-N *	30" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 27" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 50,000 BTU - (Liquid Propane requires OAS-LPK47 Conversion kit)	\$ 549.00
LOF-3606TMT-N	36" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 33" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 75,000 BTU - (Liquid Propane requires OAS-LPK41 Conversion kit)	\$ 619.00
LOF-4806TMT-N	48" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 45" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 100,000 BTU - (Liquid Propane requires OAS-LPK35 Conversion kit)	\$ 699.00
LOF-6006TMT-N	60" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 57" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 125,000 BTU - (Liquid Propane requires OAS-LPK31 Conversion kit)	\$ 779.00
LOF-7206TMT-N	72" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 69" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 150,000 BTU - (Liquid Propane requires OAS-LPK29 Conversion kit)	\$ 899.00
LOF-8406TMT-N	84" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 81" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 150,000 BTU - (Liquid Propane requires OAS-LPK26 Conversion kit)	\$ 999.00
LOF-9606TMT-N	96" X 6" ID, Linear Stainless Steel Drop-In Pan with Lip, 93" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 200,000 BTU - (Liquid Propane requires OAS-LPK22 Conversion kit)	\$ 1,229.00
LOF-2408FTMT-N *	24" X 8" OD, Linear Stainless Steel Flat Pan, 21" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 50,000 BTU - (Liquid Propane requires OAS-LPK47 Conversion kit)	\$ 479.00
LOF-3008FTMT-N *	30" X 8" OD, Linear Stainless Steel Flat Pan, 27" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 50,000 BTU - (Liquid Propane requires OAS-LPK47 Conversion kit)	\$ 549.00
LOF-3608FTMT-N	36" X 8" OD, Linear Stainless Steel Flat Pan, 33" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 75,000 BTU - (Liquid Propane requires OAS-LPK41 Conversion kit)	\$ 619.00
LOF-4808FTMT-N	48" X 8" OD, Linear Stainless Steel Flat Pan, 45" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 100,000 BTU - (Liquid Propane requires OAS-LPK35 Conversion kit)	\$ 699.00
LOF-6008FTMT-N	60" X 8" OD, Linear Stainless Steel Flat Pan, 57" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 125,000 BTU - (Liquid Propane requires OAS-LPK31 Conversion kit)	\$ 779.00
LOF-7208FTMT-N	72" X 8" OD, Linear Stainless Steel Flat Pan, 69" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 150,000 BTU - (Liquid Propane requires OAS-LPK29 Conversion kit)	\$ 899.00
LOF-8408FTMT-N	84" X 8" OD, Linear Stainless Steel Flat Pan, 81" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 175,000 BTU - (Liquid Propane requires OAS-LPK26 Conversion kit)	\$ 999.00

LOF-9608FTMT-N	96" X 8" OD, Linear Stainless Steel Flat Pan, 93" "T" Burner, Match Light Ignition - includes Key Valve, Polished Chrome Cover and 12" Polished Chrome Key - NG, 200,000 BTU - (Liquid Propane requires OAS-LPK22 Conversion kit)	\$ 1,229.00
TF-19ROCTO12MT-N	19" Stainless Round Drop-In Pan with Stainless Steel 12" Octoburner, MT Ignition, for Natural Gas - 50K BTU) - (Liquid Propane requires OAS-LPK47 Conversion kit)	\$ 609.00
TF-25ROCTO18MT-N	25" Stainless Round Drop-In Pan with Stainless Steel 18" Octoburner, MT Ignition, for Natural Gas - 75K BTU) - (Liquid Propane requires OAS-LPK41 Conversion kit)	\$ 709.00
TF-31ROCTO24MT-N	31" Stainless Round Drop-In Pan with Stainless Steel 24" Octoburner, MT Ignition, for Natural Gas - 125K BTU) - (Liquid Propane requires OAS-LPK31 Conversion kit)	\$ 899.00
TF-18DOCTO12MT-N	18" Stainless Steel Round Disc with Stainless Steel 12" Octoburner, MT Ignition, for Natural Gas - 50K BTU - (Liquid Propane requires OAS-LPK47 Conversion kit)	\$ 459.00
TF-24DOCTO18MT-N	24" Stainless Steel Round Disc with Stainless Steel 18" Octoburner, MT Ignition, for Natural Gas - 75K BTU - (Liquid Propane requires OAS-LPK41 Conversion kit)	\$ 599.00
TF-30DOCTO24MT-N	30" Stainless Steel Round Disc with Stainless Steel 24" Octoburner, MT Ignition, for Natural Gas - 125K BTU - (Liquid Propane requires OAS-LPK31 Conversion kit)	\$ 739.00
TF-36DOCTO30MT-N	36" Stainless Steel Round Disc with Stainless Steel 30" Octoburner, MT Ignition, for Natural Gas - 250K BTU - (Liquid Propane requires OAS-LPK12 Conversion kit)	\$ 919.00
TF-18SOCTO12MT-N	18" Stainless Steel Square Drop-In Pan with Stainless Steel 12" Octoburner, MT Ignition, for Natural Gas -50K BTU - (Liquid Propane requires OAS-LPK47 Conversion kit)	\$ 549.00
TF-24SOCTO18MT-N	24" Stainless Steel Square Drop-In Pan with Stainless Steel 18" Octoburner, MT Ignition, for Natural Gas -75K BTU - (Liquid Propane requires OAS-LPK41 Conversion kit)	\$ 699.00
TF-30SOCTO24MT-N	30" Stainless Steel Square Drop-In Pan with Stainless Steel 24" Octoburner, MT Ignition, for Natural Gas -125K BTU - (Liquid Propane requires OAS-LPK31 Conversion kit)	\$ 929.00
TF-24SOCTO18MT-N	24" Stainless Steel Square Flat Pan, Stainless Steel 18" Octoburner, MT Ignition, for Natural Gas - 75K BTU - (Liquid Propane requires OAS-LPK41 Conversion kit)	\$ 589.00
TF-30SOCTO24MT-N	30" Stainless Steel Square Flat Pan, Stainless Steel 24" Octoburner, MT Ignition, for Natural Gas - 125K BTU - (Liquid Propane requires OAS-LPK31 Conversion kit)	\$ 729.00
TF-36SOCTO30MT-N	36" Stainless Steel Square Flat Pan, Stainless Steel 30" Octoburner, MT Ignition, for Natural Gas - 250K BTU - (Liquid Propane requires OAS-LPK12 Conversion kit)	\$ 902.30
FPB-19RPSSF11AWS-N *	19" Round Stainless Steel Drop-In Pan with Lip, 11" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 50K BTU	\$ 4,079.00
FPB-25RPSSF18AWS-N *	25" Round Stainless Steel Drop-In Pan with Lip, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 145K BTU	\$ 4,549.00
FPB-29RPSSF18AWS-N	29" Round Stainless Steel Drop-In Pan with Lip, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 145K BTU	\$ 4,599.00
FPB-33RPSSF25AWS-N	33" Round Stainless Steel Drop-In Pan with Lip, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 260K BTU	\$ 5,029.00
FPB-19RPSSF11AWS-P *	19" Round Stainless Steel Drop-In Pan with Lip, 11" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 42K BTU	\$ 4,079.00
FPB-25RPSSF18AWS-P *	25" Round Stainless Steel Drop-In Pan with Lip, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 124K BTU	\$ 4,549.00
FPB-29RPSSF18AWS-P	29" Round Stainless Steel Drop-In Pan with Lip, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 124K BTU	\$ 4,599.00
FPB-33RPSSF25AWS-P	33" Round Stainless Steel Drop-In Pan with Lip, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 240K BTU	\$ 5,029.00
FPB-26DPSSF18AWS-N *	26" Round Stainless Steel Disc, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 145K BTU	\$ 4,269.00
FPB-29DPSSF18AWS-N	29" Round Stainless Steel Disc, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 145K BTU	\$ 4,299.00
FPB-34DPSSF25AWS-N	34" Round Stainless Steel Disc, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 260K BTU	\$ 4,799.00
FPB-39DPSSF32AWS-N	39" Round Stainless Steel Disc, 32" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 426K BTU	\$ 5,499.00
FPB-44DPSSF32AWS-N	44" Round Stainless Steel Disc, 32" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 426K BTU	\$ 5,999.00
FPB-26DPSSF18AWS-P *	26" Round Stainless Steel Disc, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 124K BTU	\$ 4,269.00
FPB-29DPSSF18AWS-P	29" Round Stainless Steel Disc, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 124K BTU	\$ 4,299.00
FPB-34DPSSF25AWS-P	34" Round Stainless Steel Disc, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 240K BTU	\$ 4,799.00
FPB-39DPSSF32AWS-P	39" Round Stainless Steel Disc, 32" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 402K BTU	\$ 5,499.00
FPB-44DPSSF32AWS-P	44" Round Stainless Steel Disc, 32" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 402K BTU	\$ 5,999.00
FPB-19RPSSF11TPSI-N *	19" Stainless Steel Round Drop-In Pan with 11" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 50K BTU	\$ 1,739.00
FPB-25RPSSF18TPSI-N *	25" Stainless Steel Round Drop-In Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 145K BTU	\$ 2,169.00
FPB-29RPSSF18TPSI-N	29" Stainless Steel Round Drop-In Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 145K BTU	\$ 2,599.00
FPB-19RPSSF11TPSI-P *	19" Stainless Steel Round Drop-In Pan with 11" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 42K BTU	\$ 1,739.00
FPB-25RPSSF18TPSI-P *	25" Stainless Steel Round Drop-In Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 124K BTU	\$ 2,169.00
FPB-29RPSSF18TPSI-P	29" Stainless Steel Round Drop-In Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 124K BTU	\$ 2,599.00
FPB-26DPSSF18TPSI-N *	26" Stainless Steel Round Flat Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 145K BTU	\$ 2,059.00
FPB-29DPSSF18TPSI-N	29" Stainless Steel Round Flat Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 145K BTU	\$ 2,099.00
FPB-26DPSSF18TPSI-P *	26" Stainless Steel Round Flat Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 113K BTU	\$ 2,059.00

FPB-29DPSSF18TPSI-P	29" Stainless Steel Round Flat Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 113K BTU	\$ 2,099.00
FPB-19RPSSF11MT-N *	19" Stainless Round Drop-In Pan with 11" Pro Series Brass SF, MT Ignition, for Natural Gas - 50K BTU	\$ 869.00
FPB-25RPSSF18MT-N *	25" Stainless Round Drop-In Pan with 18" Pro Series Brass SF, MT Ignition, for Natural Gas - 145K BTU	\$ 1,399.00
FPB-29RPSSF18MT-N	29" Stainless Round Drop-In Pan with 18" Pro Series Brass SF, MT Ignition, for Natural Gas - 145K BTU	\$ 1,499.00
FPB-33RPSSF25MT-N	33" Stainless Round Drop-In Pan with 25" Pro Series Brass SF, MT Ignition, for Natural Gas - 260K BTU	\$ 1,999.00
FPB-19RPSSF11MT-P *	19" Stainless Round Drop-In Pan with 11" Pro Series Brass SF, MT Ignition, for Liquid Propane - 42K BTU	\$ 869.00
FPB-25RPSSF18MT-P	25" Stainless Round Drop-In Pan with 18" Pro Series Brass SF, MT Ignition, for Liquid Propane - 124K BTU	\$ 1,399.00
FPB-29RPSSF18MT-P	29" Stainless Round Drop-In Pan with 18" Pro Series Brass SF, MT Ignition, for Liquid Propane - 124K BTU	\$ 1,499.00
FPB-33RPSSF25MT-P	33" Stainless Round Drop-In Pan with 25" Pro Series Brass SF, MT Ignition, for Liquid Propane - 240K BTU	\$ 1,999.00
FPB-26DPSSF18MT-N *	26" Stainless Round Flat Disc with 18" Pro Series Brass SF, MT Ignition, for Natural Gas - 145K BTU	\$ 1,209.00
FPB-29DPSSF18MT-N	29" Stainless Round Flat Disc with 18" Pro Series Brass SF, MT Ignition, for Natural Gas - 145K BTU	\$ 1,269.00
FPB-34DPSSF25MT-N	34" Stainless Round Disc with 25" Pro Series Brass SF, MT Ignition, for Natural Gas - 260K BTU	\$ 1,599.00
FPB-39DPSSF32MT-N	39" Stainless Round Disc with 32" Pro Series Brass SF, MT Ignition, for Natural Gas - 426K BTU	\$ 2,399.00
FPB-44DPSSF32MT-N	44" Stainless Round Disc with 32" Pro Series Brass SF, MT Ignition, for Natural Gas - 426K BTU	\$ 2,599.00
FPB-26DPSSF18MT-P *	26" Stainless Round Flat Disc with 18" Pro Series Brass SF, MT Ignition, for Liquid Propane - 124K BTU	\$ 1,209.00
FPB-29DPSSF18MT-P	29" Stainless Round Flat Disc with 18" Pro Series Brass SF, MT Ignition, for Liquid Propane - 124K BTU	\$ 1,269.00
FPB-34DPSSF25MT-P	34" Stainless Round Disc with 25" Pro Series Brass SF, MT Ignition, for Liquid Propane - 240K BTU	\$ 1,599.00
FPB-39DPSSF32MT-P	39" Stainless Round Disc with 32" Pro Series Brass SF, MT Ignition, for Liquid Propane - 402K BTU	\$ 2,399.00
FPB-44DPSSF32MT-P	44" Stainless Round Disc with 32" Pro Series Brass SF, MT Ignition, for Liquid Propane - 402K BTU	\$ 2,599.00
FPB-19RPSBR14AWS-N *	19" Round Stainless Steel Drop-In Pan with Lip, 14" Pro Series Brass Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 125K BTU	\$ 4,259.00
FPB-19RPSBR14AWS-P *	19" Round Stainless Steel Drop-In Pan with Lip, 14" Pro Series Brass Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 160K BTU	\$ 4,259.00
FPB-19RPSBR14TPSI-N *	19" Stainless Steel Round Drop-In Pan with Pro Series 14" Brass Spur, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 125K BTU	\$ 1,869.00
FPB-19RPSBR14TPSI-P *	19" Stainless Steel Round Drop-In Pan with Pro Series 14" Brass Spur, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 160K BTU	\$ 1,869.00
FPB-19RPSBR14MT-N *	19" Stainless Round Drop-In Pan with Pro Series Brass 14" Burning Spur, MT Ignition, for Natural Gas - 125K BTU	\$ 959.00
FPB-19RPSBR14MT-P *	19" Stainless Round Drop-In Pan with Pro Series Brass 14" Burning Spur, MT Ignition, for Liquid Propane - 160K BTU	\$ 959.00
FPB-20SPSSF11AWS-N *	20" Stainless Steel Square Drop-In Pan, 11" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 50K BTU	\$ 4,169.00
FPB-26SPSSF18AWS-N *	26" Square Stainless Steel Drop-In Pan with Lip, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 145K BTU	\$ 4,619.00
FPB-32SPSSF25AWS-N	32" Stainless Steel Square Drop-In Pan, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 260K BTU	\$ 4,949.00
FPB-38SPSSF32AWS-N	38" Stainless Steel Square Drop-In Pan, 32" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 426K BTU	\$ 5,859.00
FPB-20SPSSF11AWS-P *	20" Stainless Steel Square Drop-In Pan, 11" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 42K BTU	\$ 4,169.00
FPB-26SPSSF18AWS-P *	26" Square Stainless Steel Drop-In Pan with Lip, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 124K BTU	\$ 4,619.00
FPB-32SPSSF25AWS-P	32" Stainless Steel Square Drop-In Pan, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP 240K BTU	\$ 4,949.00
FPB-38SPSSF32AWS-P	38" Stainless Steel Square Drop-In Pan, 32" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP 402K BTU	\$ 5,859.00
FPB-25SFSSF18AWS-N	25" Stainless Steel Square Flat Pan, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 145K BTU	\$ 4,479.00
FPB-30SFSSF25AWS-N	30" Stainless Steel Square Flat Pan, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 260K BTU	\$ 4,989.00
FPB-34SFSSF25AWS-N	34" Square Flat Stainless Steel Pan, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 260K BTU	\$ 5,029.00
FPB-46SFSSF32AWS-N	46" Square Flat Stainless Steel Pan, 32" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 426K BTU	\$ 6,349.00
FPB-25SFSSF18AWS-P	25" Stainless Steel Square Flat Pan, 18" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 124K BTU	\$ 4,479.00
FPB-30SFSSF25AWS-P	30" Stainless Steel Square Flat Pan, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 240K BTU	\$ 4,989.00
FPB-34SFSSF25AWS-P	34" Square Flat Stainless Steel Pan, 25" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 240K BTU	\$ 5,029.00
FPB-46SFSSF32AWS-P	46" Square Flat Stainless Steel Pan, 32" Pro Series Brass SF, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 402K BTU	\$ 6,349.00
FPB-20SPSSF11TPSI-N *	20" Stainless Steel Square Drop-In Pan with 11" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 50K BTU	\$ 1,709.00
FPB-26SPSSF18TPSI-N *	26" Stainless Steel Square Drop-In Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 145K BTU	\$ 2,129.00
FPB-20SPSSF11TPSI-P *	20" Stainless Steel Square Drop-In Pan with 11" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 42K BTU	\$ 1,709.00

FPB-26SPSSF18TPSI-P *	26" Stainless Steel Square Drop-In Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 124K BTU	\$ 2,129.00
FPB-25SPSSF18TPSI-N *	25" Stainless Steel Square Flat Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 145K BTU	\$ 2,099.00
FPB-25SPSSF18TPSI-P *	25" Stainless Steel Square Flat Pan with 18" Pro Series Brass SF, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane- 124K BTU	\$ 2,099.00
FPB-20SPSSF11MT-N *	20" Stainless Square Drop-In Pan with 11" Pro Series Brass SF, MT Ignition, for Natural Gas - 50K BTU	\$ 869.00
FPB-26SPSSF18MT-N *	26" Stainless Square Drop-In Pan with 18" Pro Series Brass SF, MT Ignition, for Natural Gas - 145K BTU	\$ 1,389.00
FPB-32SPSSF25MT-N	32" Stainless Square Drop-In Pan with 25" Pro Series Brass SF, MT Ignition, for Natural Gas - 260K BTU	\$ 1,979.00
FPB-38SPSSF32MT-N	38" Stainless Square Drop-In Pan with 32" Pro Series Brass SF, MT Ignition, for Natural Gas - 426K BTU	\$ 2,759.00
FPB-20SPSSF11MT-P *	20" Stainless Square Drop-In Pan with 11" Pro Series Brass SF, MT Ignition, for Liquid Propane- 42K BTU	\$ 869.00
FPB-26SPSSF18MT-P *	26" Stainless Square Drop-In Pan with 18" Pro Series Brass SF, MT Ignition, for Liquid Propane - 124K BTU	\$ 1,389.00
FPB-32SPSSF25MT-P	32" Stainless Square Drop-In Pan with 25" Pro Series Brass SF, MT Ignition, for Liquid Propane - 240K BTU	\$ 1,979.00
FPB-38SPSSF32MT-P	38" Stainless Square Drop-In Pan with 32" Pro Series Brass SF, MT Ignition, for Liquid Propane - 402K BTU	\$ 2,759.00
FPB-25SPSSF18MT-N *	25" Stainless Steel Square Flat Pan with 18" Pro Series Brass SF, MT Ignition, for Natural Gas - 145K BTU	\$ 1,289.00
FPB-30SPSSF25MT-N	30" Stainless Square Flat Pan with 25" Pro Series Brass SF, MT Ignition, for Natural Gas - 260K BTU	\$ 1,889.00
FPB-34SPSSF25MT-N	34" Stainless Square Flat Pan with 25" Pro Series Brass SF, MT Ignition, for Natural Gas - 260K BTU	\$ 1,999.00
FPB-46SPSSF32MT-N	46" Stainless Square Flat Pan with 32" Pro Series Brass SF, MT Ignition, for Natural Gas - 426K BTU	\$ 2,799.00
FPB-25SPSSF18MT-P *	25" Stainless Steel Square Flat Pan with 18" Pro Series Brass SF, MT Ignition, for Liquid Propane - 124K BTU	\$ 1,289.00
FPB-30SPSSF25MT-P	30" Stainless Square Flat Pan with 25" Pro Series Brass SF, MT Ignition, for Liquid Propane - 240K BTU	\$ 1,889.00
FPB-34SPSSF25MT-P	34" Stainless Square Flat Pan with 25" Pro Series Brass SF, MT Ignition, for Liquid Propane - 240K BTU	\$ 1,999.00
FPB-46SPSSF32MT-P	46" Stainless Square Flat Pan with 32" Pro Series Brass SF, MT Ignition, for Liquid Propane - 402K BTU	\$ 2,799.00
FPB-20PSBR14AWS-N *	20" Stainless Steel Square Drop-In Pan, 14" Pro Series Brass Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 125K BTU	\$ 4,199.00
FPB-20PSBR14AWS-P *	20" Stainless Steel Square Drop-In Pan, 14" Pro Series Brass Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 160K BTU	\$ 4,199.00
FPB-20PSBR14TPSI-N *	20" Stainless Steel Square Drop-In Pan with Pro Series 14" Brass Spur, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas - 125K BTU	\$ 1,829.00
FPB-20PSBR14TPSI-P *	20" Stainless Steel Square Drop-In Pan with Pro Series 14" Brass Spur, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane - 160K BTU	\$ 1,829.00
FPB-20PSBR14MT-N *	20" Stainless Square Drop-In Pan with Pro Series Brass 14" Burning Spur, MT Ignition, for Natural Gas - 125K BTU	\$ 909.00
FPB-20PSBR14MT-P *	20" Stainless Square Drop-In Pan with Pro Series Brass 14" Burning Spur, MT Ignition, for Liquid Propane- 160K BTU	\$ 909.00
LOF-3010PS246AWS-N *	30" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 24" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 80K BTU	\$ 4,299.00
LOF-3610PS306AWS-N	36" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 30" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 95K BTU	\$ 4,469.00
LOF-4810PS406AWS-N	48" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 40" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 120K BTU	\$ 4,619.00
LOF-6010PS506AWS-N	60" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 50" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 160K BTU	\$ 4,989.00
LOF-7210PS606AWS-N	72" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 60" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 180K BTU	\$ 5,179.00
LOF-9610PS806AWS-N	96" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 80" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - NG, 250K BTU	\$ 5,729.00
LOF-3010PS246AWS-P *	30" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 24" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 110K BTU	\$ 4,299.00
LOF-3610PS306AWS-P	36" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 30" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 115K BTU	\$ 4,469.00
LOF-4810PS406AWS-P	48" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 40" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 150K BTU	\$ 4,619.00
LOF-6010PS506AWS-P	60" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 50" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 175K BTU	\$ 4,989.00
LOF-7210PS606AWS-P	72" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 60" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 200K BTU	\$ 5,179.00
LOF-9610PS806AWS-P	96" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 80" X 6" "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch - LP, 240K BTU	\$ 5,729.00
LOF-3010PS246TPSI-N *	30" X 10" Stainless Steel Flat Pan with Pro Series 24" X 6" Pro Series H Burner, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas- 80K BTU	\$ 1,869.00
LOF-3610PS306TPSI-N	36" X 10" Stainless Steel Flat Pan with Pro Series 30" X 6" Pro Series H Burner, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas- 95K BTU	\$ 2,049.00
LOF-4810PS406TPSI-N	48" X 10" Stainless Steel Flat Pan with Pro Series 40" X 6" Pro Series H Burner, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas- 120K BTU	\$ 2,179.00
LOF-6010PS506TPSI-N	60" X 10" Stainless Steel Flat Pan with Pro Series 50" X 6" Pro Series H Burner, TPSI Ignition with Battery Powered Spark Igniter, Natural Gas- 160K BTU	\$ 2,569.00
LOF-3010PS246TPSI-P *	30" X 10" Stainless Steel Flat Pan with Pro Series 24" X 6" Pro Series H Burner, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane- 110K BTU	\$ 1,869.00
LOF-3610PS306TPSI-P	36" X 10" Stainless Steel Flat Pan with Pro Series 30" X 6" Pro Series H Burner, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane- 115K BTU	\$ 2,049.00
LOF-4810PS406TPSI-P	48" X 10" Stainless Steel Flat Pan with Pro Series 40" X 6" Pro Series H Burner, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane- 150K BTU	\$ 2,179.00
LOF-6010PS506TPSI-P	60" X 10" Stainless Steel Flat Pan with Pro Series 50" X 6" Pro Series H Burner, TPSI Ignition with Battery Powered Spark Igniter, Liquid Propane- 175K BTU	\$ 2,569.00
LOF-3010PS246MT-N *	30" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 24" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 80K BTU	\$ 1,019.00
LOF-3610PS306MT-N	36" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 30" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 95K BTU	\$ 1,249.00
LOF-4810PS406MT-N	48" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 40" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 120K BTU	\$ 1,389.00

LOF-6010PS506MT-N	60" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 50" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 160K BTU	\$ 1,819.00
LOF-7210PS606MT-N	72" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 60" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 180K BTU	\$ 2,059.00
LOF-9610PS806MT-N	96" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 80" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 250K BTU	\$ 2,649.00
LOF-3010PS246MT-P *	30" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 24" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - Liquid Propane, 110K BTU	\$ 1,019.00
LOF-3610PS306MT-P	36" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 30" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - Liquid Propane, 115K BTU	\$ 1,249.00
LOF-4810PS406MT-P	48" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 40" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - LP, 150K BTU	\$ 1,389.00
LOF-6010PS506MT-P	60" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 50" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - LP, 175K BTU	\$ 1,819.00
LOF-7210PS606MT-P	72" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 60" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - LP, 200K BTU	\$ 2,059.00
LOF-9610PS806MT-P	96" X 10" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 80" X 6" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - LP, 240K BTU	\$ 2,649.00
LOF-3006PS24TMT-N *	30" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature NG - 50K BTU	\$ 729.00
LOF-4206PS38TMT-N *	42" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature NG - 90K BTU	\$ 959.00
LOF-4806PS44TMT-N	48" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature NG - 100K BTU	\$ 1,109.00
LOF-6006PS56TMT-N	60" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature NG - 135K BTU	\$ 1,299.00
LOF-7206PS68TMT-N	72" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature NG - 140K BTU	\$ 1,499.00
LOF-3006PS24TMT-P	30" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature LP - 60K BTU	\$ 729.00
LOF-4206PS38TMT-P	42" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature LP - 95K BTU	\$ 959.00
LOF-4806PS44TMT-P	48" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature LP - 110K BTU	\$ 1,109.00
LOF-6006PS56TMT-P	60" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature LP - 140K BTU	\$ 1,299.00
LOF-7206PS68TMT-P	72" by 6" Linear Drop-In Pan Match Throw Ignition w/ Pro Series T Burner DIP Fire Feature LP - 170K BTU	\$ 1,499.00
LOF-3008FPS24TMT-N *	30" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 24" "T" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 50K BTU	\$ 649.00
LOF-4208FPS38TMT-N *	42" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 38" "T" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 90K BTU	\$ 869.00
LOF-4808FPS44TMT-N	48" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 44" "H" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 100K BTU	\$ 1,009.00
LOF-6008FPS56TMT-N	60" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 56" "T" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 135K BTU	\$ 1,189.00
LOF-7208FPS68TMT-N	72" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 68" "T" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - NG, 170K BTU	\$ 1,359.00
LOF-3008FPS24TMT-P *	30" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 24" "T" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - Liquid Propane, 60K BTU	\$ 649.00
LOF-4208FPS38TMT-P	42" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 38" "T" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - Liquid Propane, 95K BTU	\$ 869.00
LOF-4808FPS44TMT-P	48" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 44" "T" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - LP, 110K BTU	\$ 1,009.00
LOF-6008FPS56TMT-P	60" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 56" "T" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - LP, 140K BTU	\$ 1,189.00
LOF-7208FPS68TMT-P	72" X 8" ID, Linear Stainless Steel Flat Pan, with Pro Series Brass 68" "T" Burner, Match Throw Ignition includes: Key Valve, Key Valve Cover and 12" Key - LP, 170K BTU	\$ 1,359.00
LOF-3006PS24TTPSI-N *	30" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 50K BTU	\$ 1,809.00
LOF-4206PS38TTPSI-N *	42" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 90K BTU	\$ 1,839.00
LOF-4806PS44TTPSI-N	48" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 100K BTU	\$ 2,119.00
LOF-6006PS56TTPSI-N	60" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 135K BTU	\$ 2,369.00
LOF-7206PS68TTPSI-N	72" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 140K BTU	\$ 2,599.00
LOF-3006PS24TTPSI-P *	30" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 60K BTU	\$ 1,809.00
LOF-4206PS38TTPSI-P *	42" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 95K BTU	\$ 1,839.00
LOF-4806PS44TTPSI-P	48" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 110K BTU	\$ 2,119.00
LOF-6006PS56TTPSI-P	60" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 140K BTU	\$ 2,369.00
LOF-7206PS68TTPSI-P	72" by 6" Linear Drop-In Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 170K BTU	\$ 2,599.00
LOF-3008FPS24TTPSI-N *	30" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 50K BTU	\$ 1,569.00
LOF-4208FPS38TTPSI-N *	42" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 90K BTU	\$ 1,759.00
LOF-4808FPS44TTPSI-N	48" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 100K BTU	\$ 1,879.00
LOF-6008FPS56TTPSI-N	60" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 135K BTU	\$ 2,039.00
LOF-7208FPS68TTPSI-N	72" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature NG - 140K BTU	\$ 2,199.00
LOF-3008FPS24TTPSI-P *	30" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 60K BTU	\$ 1,569.00
LOF-4208FPS38TTPSI-P *	42" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 95K BTU	\$ 1,759.00
LOF-4808FPS44TTPSI-P	48" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 110K BTU	\$ 1,879.00
LOF-6008FPS56TTPSI-P	60" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 140K BTU	\$ 2,039.00
LOF-7208FPS68TTPSI-P	72" by 8" Linear Flat Pan Thermocouple Piloted Safety Ignition w/ Pro Series T Burner DIP Fire Feature LP - 170K BTU	\$ 2,199.00
LOF-3006PS24TAWA-N *	30" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 50K BTU	\$ 4,089.00
LOF-4206PS38TAWA-N *	42" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 90K BTU	\$ 4,289.00
LOF-4806PS44TAWA-N	48" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 100K BTU	\$ 4,419.00
LOF-6006PS56TAWA-N	60" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 135K BTU	\$ 4,589.00

LOF-7206PS68TAW-S-N	72" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 140K BTU	\$ 4,759.00
LOF-3006PS24TAW-S-P *	30" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 60K BTU	\$ 4,089.00
LOF-4206PS38TAW-S-P *	42" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 95K BTU	\$ 4,289.00
LOF-4806PS44TAW-S-P	48" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 110K BTU	\$ 4,419.00
LOF-6006PS56TAW-S-P	60" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 140K BTU	\$ 4,589.00
LOF-7206PS68TAW-S-P	72" by 6" Linear Drop-In Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 170K BTU	\$ 4,759.00
LOF-3008FPS24TAW-S-N *	30" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 50K BTU	\$ 4,019.00
LOF-4208FPS38TAW-S-N *	42" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 90K BTU	\$ 4,209.00
LOF-4808FPS44TAW-S-N	48" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 100K BTU	\$ 4,329.00
LOF-6008FPS56TAW-S-N	60" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 135K BTU	\$ 4,479.00
LOF-7208FPS68TAW-S-N	72" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature NG - 140K BTU	\$ 4,639.00
LOF-3008FPS24TAW-S-P	30" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 60K BTU	\$ 4,019.00
LOF-4208FPS38TAW-S-P *	42" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 95K BTU	\$ 4,209.00
LOF-4808FPS44TAW-S-P	48" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 110K BTU	\$ 4,329.00
LOF-6008FPS56TAW-S-P	60" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 140K BTU	\$ 4,479.00
LOF-7208FPS68TAW-S-P	72" by 8" Linear Flat Pan All Weather Electronic Ignition w/ Pro Series T Burner DIP Fire Feature LP - 170K BTU	\$ 4,639.00
LOF-5113FHPSTPSI-P-SAN	SANCTUARY 76 Burner - 50.5" X 12.5" OD, Linear Stainless Steel Flat Pan, 40" X 6.75" Pro Series "H" Burner, TPSI Ignition, LP - 150K BTU	\$ 2,379.00
LOF-5113FHPSMT-N-SAN	SANCTUARY 76 Burner - 50.5" X 12.5" OD, Linear Stainless Steel Flat Pan, 40" X 6.75" Pro Series "H" Burner, MT Ignition, NG - 120K BTU	\$ 1,529.00
LOF-5113FHPSMT-P-SAN	SANCTUARY 76 Burner - 50.5" X 12.5" OD, Linear Stainless Steel Flat Pan, 40" X 6.75" Pro Series "H" Burner, MT Ignition, LP - 150K BTU	\$ 1,529.00
LOF-3313FHPSAWS-N-SAN	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" Flat Pan, 24" x 6.75" Pro Series "H" Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - NG, 80KBTU	\$ 4,069.00
LOF-3313FHPSAWS-P-SAN	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" Flat Pan, 24" x 6.75" Pro Series "H" Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - LP, 110K BTU	\$ 4,069.00
LOF-3313FHPSTPSI-N-SAN	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 24" x 6.75" Pro Series "H" Burner, TPSI Ignition, NG - 80K BTU	\$ 1,959.00
LOF-3313FHPSTPSI-P-SAN	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 24" x 6.75" Pro Series "H" Burner, TPSI Ignition, LP - 110K BTU	\$ 1,959.00
LOF-3313FHPSMT-N-SAN	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 24" x 6.75" Pro Series "H" Burner, MT Ignition, NG - 80K BTU	\$ 1,129.00
LOF-3313FHPSMT-P-SAN	SANCTUARY 1 Burner - 33 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 24" x 6.75" Pro Series "H" Burner, MT Ignition, LP - 110K BTU	\$ 1,129.00
FPB-34DPSAWS-N-SAN	34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - NG, 145K BTU	\$ 4,309.00
FPB-34DPSAWS-P-SAN	34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - LP, 124K BTU	\$ 4,309.00
FPB-34DPSTPSI-N-SAN	34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, TPSI Ignition, NG - 145K BTU	\$ 2,149.00
FPB-34DPSTPSI-P-SAN	34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, TPSI Ignition, LP - 124K BTU	\$ 2,149.00
FPB-34DPSMT-N-SAN	34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, MT Ignition, NG - 145K BTU	\$ 1,369.00
FPB-34DPSMT-P-SAN	34" Disc Sanctuary 2 Burner System W/18" Pro Series Brass Snowflake Burner, MT Ignition, LP - 124K BTU	\$ 1,369.00
FPB-26DPSAWS-N-SAN	26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - NG, 50K BTU	\$ 3,959.00
FPB-26DPSAWS-P-SAN	26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, AWS Electronic Ignition, 30VDC, GOE-30VDC Power Supply, Control Panel with On/OFF Weatherproof Switch) - LP, 42K BTU	\$ 3,959.00
FPB-26DPSTPSI-N-SAN	26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, TPSI Ignition, NG - 50K BTU	\$ 1,779.00
FPB-26DPSTPSI-P-SAN	26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, TPSI Ignition, LP - 42K BTU	\$ 1,779.00
FPB-26DPSMT-N-SAN	26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, MT Ignition, NG - 50K BTU	\$ 959.00
FPB-26DPSMT-P-SAN	26" Disc Sanctuary 3 Burner System W/11" Pro Series Brass Snowflake Burner, MT Ignition, LP - 42K BTU	\$ 959.00
LOF-3313FHAWS-N-SAN	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 75,000 BTU - Includes Cover	\$ 3,709.00
LOF-3313FHAWS-P-SAN	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 75,000 BTU - Includes Cover	\$ 3,709.00
LOF-3313FHTPSI-N-SAN	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 75K BTU - Includes Sanctuary 1 Mounting Hardware - Includes Cover	\$ 1,519.00
LOF-3313FHTPSI-P-SAN	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 75K BTU - Includes Sanctuary 1 Mounting Hardware - Includes Cover	\$ 1,519.00
LOF-3313FHMT-N-SAN	For SANCTUARY 1 - 32 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 27" X 06" - "H" Burner, MT Ignition, NG - 100K BTU	\$ 679.00
LOF-5113FHAWS-N-SAN	SANCTUARY 176 Burner - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 36" X 06" - "H" Burner, AWS Ignition, NG - 125K BTU - No Cover	\$ 3,809.00
LOF-5113FHAWS-P-SAN	SANCTUARY 176 Burner - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 36" X 06" - "H" Burner, AWS Ignition, LP - 125K BTU - No Cover	\$ 3,809.00
LOF-5113FHTPSI-N-SAN	For SANCTUARY 176 - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 36" X 06" - "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas 125,000 BTU - No Cover	\$ 1,519.00
LOF-5113FHTPSI-P-SAN	For SANCTUARY 176 - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 36" X 06" - "H" Burner, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane 125,000 BTU - No Cover	\$ 1,519.00
LOF-5113FHMT-N-SAN	SANCTUARY 176 Burner - 50 3/4" X 12 3/4" OD, Linear Stainless Steel Flat Pan, 33" X 06" - "H" Burner, MT Ignition, NG - 125K BTU - No Cover	\$ 689.00
FPB-34DBSAWS-N-SAN	For SANCTUARY 2 - 34" Round Stainless Steel Disc with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 175K BTU - Liquid Propane (OAS-LPK26 Conversion kit required for LP) - Includes Sanctuary 2 Mounting Hardware	\$ 3,789.00

FPB-34DBSAWS-P-SAN	For SANCTUARY 2 - 34" Round Stainless Steel Disc with 31" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 175K BTU - Includes Sanctuary 2 Mounting Hardware	\$ 3,789.00
FPB-34DBSTPSI-N-SAN	34" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 75K BTU - Includes Sanctuary 2 Mounting Hardware	\$ 1,599.00
FPB-34DBSTPSI-P-SAN	34" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 75K BTU - Liquid Propane - Includes Sanctuary 2 Mounting Hardware	\$ 1,599.00
FPB-34DBSMT-N-SAN	For SANCTUARY 2 - 34" Stainless Steel Round Disc, Stainless Steel 22" Burning Spur, MT Ignition, for Natural Gas - 65K BTU - Liquid Propane (OAS-LPK41 Conversion kit required for LP) - Includes Sanctuary 2 Mounting Hardware	\$ 779.00
FPB-26DBSAWS-N-SAN	For SANCTUARY3 - 26" Round Stainless Steel Disc with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - NG, 65K BTU, (OAS-LPK41 + FG-AWS-PBO-Conversion kit required for LP) - Includes Sanctuary 3 Mounting Hardware	\$ 3,759.00
FPB-26DBSAWS-P-SAN	For SANCTUARY 3 - 26" Round Stainless Steel Disc with 22" Burning Spur, AWS Fully Electronic Ignition - 30VDC (Requires 120Vac) - Assembled, GOE-30VDC Power Supply, AWS Control Panel with On/OFF Weatherproof Switch) - LP, 65K BTU - Includes Sanctuary 2 Mounting Hardware	\$ 3,759.00
FPB-26DBSTPSI-N-SAN	26" Stainless Steel Round Disc, Stainless Steel 16" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Natural Gas - 75K BTU - Includes Sanctuary 3 Mounting Hardware	\$ 1,539.00
FPB-26DBSTPSI-P-SAN	26" Stainless Steel Round Disc, Stainless Steel 16" Burning Spur, TPSI Ignition with Battery Powered Spark Igniter, for Liquid Propane - 75K BTU - Includes Sanctuary 3 Mounting Hardware	\$ 1,539.00
FPB-26DBSMT-N-SAN	For SANCTUARY3 - 26" Square Stainless Steel Round Disc with Stainless Steel 16" Burning Spur, MT Ignition, for Natural Gas - 65K BTU - Liquid Propane (OAS-LPK41 Conversion kit required for LP) - Includes Sanctuary 3 Mounting Hardware	\$ 719.00
FPB-26D22MTN-PK		\$ 1,299.00
FPB-29D22MTN-PK		\$ 1,509.00
FPB-34D31MTN-PK		\$ 1,729.00
FPB-34D31MTN-PK2		\$ 1,739.00
FPB-39DBS36MTN-PK		\$ 1,869.00
FPB-44DBS36MTN-PK		\$ 2,239.00
FPB-25SF22MTN-PK		\$ 1,299.00
FPB-30SF22MTN-PK		\$ 1,579.00
FPB-34SF31MTN-PK		\$ 1,739.00
FPB-20SBS16MTN-PK		\$ 1,339.00
LOF-3614FHMTN-PK		\$ 1,419.00
LOF-4814FHMTN-PK		\$ 1,559.00
LOF-6016FHMTN-PK		\$ 1,779.00
FPB-26DPS18MTN-PK		\$ 1,759.00
FPB-29DPS18MTN-PK		\$ 1,949.00
FPB-34DPS25MTN-PK		\$ 2,309.00
FPB-34DPS25MTN-PK6		\$ 2,319.00
FPB-39DPS32MTN-PK		\$ 3,109.00
FPB-39DPS32MTN-PK6		\$ 3,119.00
FPB-26DPS18MTP-PK		\$ 1,759.00
FPB-29DPS18MTP-PK		\$ 1,949.00
FPB-34DPS25MTP-PK		\$ 2,309.00
FPB-34DPS25MTP-PK6		\$ 2,319.00
FPB-39DPS32MTP-PK		\$ 3,109.00
FPB-39DPS32MTP-PK6		\$ 3,119.00
FPB-25SFPS18MTN-PK		\$ 1,839.00
FPB-30SFPS25MTN-PK		\$ 2,569.00
FPB-34SFPS25MTN-PK		\$ 2,709.00
FPB-25SFPS18MTP-PK		\$ 1,839.00
FPB-30SFPS25MTP-PK		\$ 2,569.00
FPB-34SFPS25MTP-PK		\$ 2,709.00
FPB-20SPS14MTN-PK		\$ 1,429.00
FPB-20SPS14MTP-PK		\$ 1,429.00
LOF-3610PS306MTN-PK		\$ 1,929.00
LOF-4810PS406MTN-PK		\$ 2,099.00
LOF-6010PS506MTN-PK		\$ 2,559.00
LOF-3610PS306MTP-PK		\$ 1,929.00
LOF-4810PS406MTP-PK		\$ 2,099.00
LOF-6010PS506MTP-PK		\$ 2,559.00
FLEXFRAME-SS	Constructed of 16 Gauge 304 Stainless Steel. Engineered to protect against outdoor elements including salt water environments - two (2) 44" pieces per package	\$ 259.00
FLEXFRAME-SS3	Constructed of 16 Gauge 304 Stainless Steel. Engineered to protect against outdoor elements including salt water environments - three (3) 44" pieces per package	\$ 389.00

FLEXFRAME-PRO3		Pro Series - Wider Version of the FLEXFRAME - Designed for Larger Round, Square and Linear Burner Systems - Constructed of 16 Gauge 304 Stainless Steel, (3) 44" pieces per package	\$ 569.00
PAVER-VENT-4-LNTS		Stainless Steel Paver Vent Kit with Lintel: includes (2) 3 5/8" tall x 8" wide vents with mounting plate, extension plate extends overall size up to 10" wide and two (2) Tapcon self-tapping concrete anchors and Lintel 12" Long x 3" Wide (20 Gauge Galvanized Steel). Each vent provides 18 square inches of ventilation.	\$ 109.00
PAVER-VENT-6-LNTS		Stainless Steel Paver Vent Kit with Lintel: includes (2) 5 5/8" tall x 8" wide vents with mounting plate, extension plate extends overall size up to 10" wide and two (2) Tapcon self-tapping concrete anchors and Lintel 12" Long x 3" Wide (20 Gauge Galvanized Steel). Each vent provides 18 square inches of ventilation.	\$ 119.00
PAVER-CP-AWS		Control Panel - for AWS Electronic Ignition System "AWS" Burner Systems, For use when building fire pit enclosures with SRW block or pavers - FPB Series Thermocouple Manual Safety "AWS" Burner Systems. Includes: Stainless Steel Paver Kit Bracket and Extender, Lintel - 12" L X 3" W (20 gauge galvanized steel), Screws, Fittings and Tapcon concrete anchors. Valve Kit and Face Plate purchased separately or as part of the FPB or LOF Burner Systems.	\$ 69.00
PAVER-CP-TPSI		Control Panel - for Thermocouple Piloted Safety Ignition "TPSI" Burner Systems, For use when building fire pit enclosures with SRW block or pavers - FPB Series Thermocouple Piloted Safety "TPSI" Burner Systems. Includes: Stainless Steel Paver Kit Bracket and Extender, Lintel - 12" L X 3" W (20 gauge galvanized steel), Screws, Fittings and Tapcon concrete anchors. Valve Kit and Face Plate purchased separately as part of FPB Series kit.	\$ 89.00
PAVER-CP-MT		Control Panel - for Match Throw "MT" Burner Systems, For use when building fire pit enclosures with SRW block or pavers. Includes: Stainless Steel Face Plate for Key Valve with Rubber Plug for MSI Hole, Paver Kit Bracket and Extender, Lintel - 12" L X 3" W (20 gauge galvanized steel), Screws, Fittings and Tapcon concrete anchors. Key Valve Kit purchased separately or as part of the FPB or LOF Burner Systems.	\$ 99.00
PAVER-CP-MT-MSI		Control Panel - for Match Throw "MT" Burner Systems requiring a Battery Spark Ignition, For use when building fire pit enclosures with SRW block or pavers - Match Throw "MT" Burner Systems. Includes: Face Plate for Key Valve and MSI, Paver Kit Bracket and Extender, Lintel - 12" L X 3" W (20 gauge galvanized steel), Screws, Battery Operated Piezo Ignitor Assembly, 48" Ignition Wire, AAA Battery, Ignition Hood and Screen, Fittings and Tapcon concrete anchors. Key Valve Kit purchased separately or as part of the FPB or LOF Burner Systems.	\$ 239.00
OAS-LPK47		Universal LP Conversion kit for: 50,000 BTU, includes: OAS-LP47, #S499-8, #113-SS4-D5, U3-8D-S	\$ 69.00
OAS-LPK41		Universal LP Conversion kit for: 75,000 BTU, includes: OAS-LP41, #S499-8, #113-SS4-D5, U3-8D-S	\$ 69.00
OAS-LPK35		Universal LP Conversion kit for: 100,000 BTU, includes: OAS-LP35, #S499-8, #113-SS4-D5, U3-8D-S	\$ 69.00
OAS-LPK31		Universal LP Conversion kit for: 125,000 BTU, includes: OAS-LP31, #S499-8, #113-SS4-D5, U3-8D-S	\$ 69.00
OAS-LPK29		Universal LP Conversion kit for: 150,000 BTU, includes: OAS-LP29, #S499-8, #113-SS4-D5, U3-8D-S	\$ 69.00
OAS-LPK26		Universal LP Conversion kit for: 175,000 BTU, includes: OAS-LP29, #S499-8, #113-SS4-D5, U3-8D-S	\$ 69.00
OAS-LPK22		Universal LP Conversion kit for: 200,000 BTU, includes: OAS-LP22, #S499-8, #113-SS4-D5, U3-8D-S	\$ 69.00
OAS-LPK19		Universal LP Conversion kit for: 225,000 BTU, includes: OAS-LP19, #S499-8, #113-SS4-D5, U3-8D-S	\$ 69.00
OAS-LPK12		Universal LP Conversion kit for: 250,000 BTU, includes: OAS-LP12, #S499-8, #113-SS4-D5, U3-8D-S	\$ 69.00
TPSI-LPK47		TPSI LP Conversion kit for: 50,000 BTU, includes: Main Burner Orifice OAS-LP47, PSE-SUB163 (Pilot Orifice)	\$ 129.00
TPSI-LPK41		TPSI LP Conversion kit for: 75,000 BTU, includes: Main Burner Orifice OAS-LP41, PSE-SUB163 (Pilot Orifice)	\$ 129.00
TPSI-LPK35		TPSI LP Conversion kit for: 100,000 BTU, includes: Main Burner Orifice OAS-LP35, PSE-SUB163 (Pilot Orifice)	\$ 129.00
TPSI-LPK31		TPSI LP Conversion kit for: 125,000 BTU, includes: Main Burner Orifice OAS-LP31, PSE-SUB163 (Pilot Orifice)	\$ 129.00
TPSI-LPK29		TPSI LP Conversion kit for: 150,000 BTU, includes: Main Burner Orifice OAS-LP29, PSE-SUB163 (Pilot Orifice)	\$ 129.00
FG-AWS-PBO-P		Pilot Burner Orifice for FG-AWS30VDC-GOEK and FG-AWS30VDC-K (AWEIS Standard Capacity 30VDC Valve)	\$ 59.00
OFF-36LECO-LPK		36" Kalea Bay - LP Conversion kit for use with models: OFF-36LECO-N and OFF-36LECO-NLED	\$ 89.00
OFF-48LECO-LPK		48" Kalea Bay - LP Conversion kit for use with models: OFF-48LECO-N and OFF-48LECO-NLED	\$ 89.00
OFF-60LECO-LPK		60" Kalea Bay - LP Conversion kit for use with models: OFF-60LECO-N and OFF-60LECO-NLED	\$ 89.00
OFF-72LECO-LPK		72" Kalea Bay - LP Conversion kit for use with models: OFF-72LECO-N and OFF-72LECO-NLED	\$ 89.00
FG-LAVA-10		10 lb. Bag of 1 to 2" Black Lava Rock	\$ 29.00
FG-LAVA-40		1 Cubic Ft. Bag of 1" to 2" Black Lava Rock (approximately 1 cubic foot bag)	\$ 89.00
FG-LSS0		50 lb. Bag of Lava Stones - Ranging from 1 1/2" to 2" in size	\$ 199.00
GL-BLACK-10		Black Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 39.00
GL-COPPER-10		Copper Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 39.00
GL-CRYSTAL-10		Crystal Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 39.00
GL-DARKBLUE-10		Dark Blue Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 39.00
GL-LIGHTBLUE-10		Light Blue Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 39.00
GL-SEABREEZE-10		Seabreeze Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 39.00
GRL-BLACK-10		Black Reflective Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 59.00
GRL-BRONZE-10		Bronze Reflective Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 59.00
GRL-COBALT-10		Cobalt Blue Reflective Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 59.00
GRL-COPPER-10		Copper Reflective Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 59.00
GRL-SILVER-10		Silver Reflective Fireglass 1/2" to 3/4" in Size, sold in 10 lb. Jug	\$ 59.00
L-IW-TWIG810		Pro Series Steel Fire Pit four (4) piece Twig set - varied uses including: 36" Kalea Bay or add on onto other Pro Series steel Log Sets - 16" - 19" Round Pans, 24" - "H" and "T" Burner Systems (Drop-In and Flat)	\$ 569.00
L-IW-TWIG1214		Pro Series Steel Fire Pit five (5) piece Twig set - varied uses including: 48" Kalea Bay or add on onto other Pro Series steel Log Sets - 19" Round Pans, 26" Round Disc, 24" -36" - "H" and "T" Burner Systems (Drop-In and Flat)	\$ 779.00
L-IW-SM		Pro Series Ironwood Steel Fire Pit seven (7) piece Log set - 25", 29" and 33" Round Pans, 26", 29", 34" Round Disc, 25", 30", 34" Square Flat Pans	\$ 939.00
L-IW-MED		Pro Series Ironwood Steel Fire Pit eleven (11) piece Log set recommended for use with 29" and 33" Round Drop-In Pans, 29" & 34" Round Discs, 30", 34" Square Flat Pans	\$ 1,549.00
L-IW-LG		Pro Series Ironwood Steel Fire Pit fourteen (14) piece Log set recommended for use with 33" Round Drop-In Pan, 34" & 39" Round Discs, 34" & 40" Square Flat Pans, Any Fire Pit Round or Square up to 46"	\$ 2,459.00

L-IW-XL	Pro Series Ironwood Steel Fire Pit fourteen (14) piece Log set recommended for use with 39" & 44" Round Discs, 40" & 46" Square Flat Pans, Any Fire Pit Round or Square 39" up to 60"	\$ 2,899.00
L-BR-3048	Birch Refractory Log Set five (5) piece set - varied uses including: 36" & 48" Kalea Bay or - 16" - 19" Round Pans, 24" - 48" "H" and "T" Burner Systems (Drop-In and Flat)	\$ 219.00
L-BR-6084	Birch Refractory Log Set six (6) piece set - varied uses including: 60" & 72" Kalea Bay or 25" Round Drop-In Pan, 26" Disc, 60" - 84" "H" and "T" Burner Systems (Drop-In and Flat)	\$ 249.00
L-DW-3048	Driftwood Refractory Log Set five (5) piece set - varied uses including: 36" & 48" Kalea Bay or - 16" - 19" Round Pans, 24" - 48" "H" and "T" Burner Systems (Drop-In and Flat)	\$ 249.00
L-DW-6084	Driftwood Refractory Log Set six (6) piece set - varied uses including: 60" & 72" Kalea Bay or 25" Round Drop-In Pan, 26" Disc, 60" - 84" "H" and "T" Burner Systems (Drop-In and Flat)	\$ 319.00
L-NO-3048	New Oak Refractory Log Set five (5) piece set - varied uses including: 36" & 48" Kalea Bay or - 16" - 19" Round Pans, 24" - 48" "H" and "T" Burner Systems (Drop-In and Flat)	\$ 239.00
L-NO-6084	New Oak Refractory Log Set six (6) piece set - varied uses including: 60" & 72" Kalea Bay or 25" Round Drop-In Pan, 26" Disc, 60" - 84" "H" and "T" Burner Systems (Drop-In and Flat)	\$ 319.00
L-SF	Spit Fire seventeen (17) Piece Refractory Log Set - Compatible with pits larger than 19" -Lava Rock not included - (1 box) shipping weight approximately 52 lb.	\$ 439.00
L-SEDONA	Sedona nineteen (19) Piece Refractory Concrete Log Set for Outdoor Fire Features, stacks up to 32" High - Compatible with pits larger than 19" -Lava Rock not included - (3 boxes) shipping weight approximately 200 lb. - must ship LTL	\$ 1,089.00
OFP-36COV	For the 36" Kalea Bay (NG or LP)	\$ 439.00
OFP-48COV	For the 48" Kalea Bay (NG or LP)	\$ 579.00
OFP-60COV	For the 60" Kalea Bay (NG or LP)	\$ 749.00
OFP-72COV	For the 72" Kalea Bay (NG or LP)	\$ 889.00
COVER-SAN1	Deluxe Weather Cover for Sanctuary 1, Breathable & Water Resistant, Draw Sting Closure offers a secure fit - Black in color	\$ 149.00
COVER-SAN2	Deluxe Weather Cover for Sanctuary 2, Breathable & Water Resistant, Draw Sting Closure offers a secure fit - Black in color	\$ 99.00
COVER-SAN3	Deluxe Weather Cover for Sanctuary 3, Breathable & Water Resistant, Draw Sting Closure offers a secure fit - Black in color	\$ 79.00
ESTOP1-0H	Mechanical timer with manual emergency shut-off. 1 hour countdown timer	\$ 199.00
ESTOP-CP-KIT	Control Panel designed for use when building fire pit out of SRW/Architectural Block/Pavers - designed to house ESTOP1-0H Timer. Enclosure constructed of 304 Stainless Steel for Match Throw "MT" Burner Systems. Includes: Stainless Steel Face Plate for ESTOP Timer, Mounting Bracket and Extender, Lintel - 12" L X 3" W (20 gauge galvanized steel), Screws, Fittings and Tapcon concrete anchors. ESTOP-TIMER sold separately.	\$ 139.00
ESTOP-LC-KIT	Locking Cabinet designed to house ESTOP1-0H Timer. Removable Lock - Cabinet constructed of 304 Stainless Steel. ESTOP-TIMER sold separately.	\$ 229.00
ESTOP-RM-KIT	Surface Mount Enclosure designed to house ESTOP1-0H Timer. Enclosure constructed of 304 Stainless Steel. ESTOP-TIMER sold separately.	\$ 89.00
77161	10' long, 8-pin Mod Extension wire harness for LED and Non-LED Models	\$ 79.00
77111	10' long, 6-pin LED Extension wire harness - for LED Models only	\$ 49.00
VCS-ECOBUEXT120	2-pin battery pack extension wire to extend the wire on a battery pack of the NON-LED Kalea Bay.	\$ 29.00
U1-6C-S	Steel Gas Flare Fitting, 3/8" OD Flare x 3/8" MIP (tapped 1/8" FIP)	\$ 6.00
U1-6D-S	Steel Gas Flare Fitting, 3/8" OD Flare x 1/2" MIP (tapped 3/8" FIP)	\$ 7.00
U1-8C-S	Steel Gas Flare Fitting, 1/2" OD Flare x 3/8" MIP (tapped 1/4" FIP)	\$ 6.00
U1-8D-S	Steel Gas Flare Fitting, 1/2" OD Flare x 1/2" MIP (tapped 3/8" FIP)	\$ 7.00
U3-6D-S	Steel Gas Flare Fitting, 3/8" OD Flare x 1/2" FIP	\$ 6.00
U3-8D-S	Steel Gas Flare Fitting, 1/2" OD Flare x 1/2" FIP	\$ 7.00
T200-9898-10	1/2" OD (3/8" ID) x 10", with 1/2" OD FLARE NUTS	\$ 19.00
T200-9898-16	1/2" OD (3/8" ID) x 16", with 1/2" OD FLARE NUTS	\$ 29.00
T200-9898-22	1/2" OD (3/8" ID) x 22", with 1/2" OD FLARE NUTS	\$ 39.00
T200-9898-28	1/2" OD (3/8" ID) x 28", with 1/2" OD FLARE NUTS	\$ 49.00
T200-9898-34	1/2" OD (3/8" ID) x 34", with 1/2" OD FLARE NUTS	\$ 49.00
T200-9898-46	1/2" OD (3/8" ID) x 46", with 1/2" OD FLARE NUTS	\$ 59.00
AWS-FACEPLATE	Stainless Steel Faceplate (only) for AWS Valve Systems for mounting Key Valve and ON/OFF Weatherproof Switch	\$ 73.00
MSI-BSMTI	Manual Spark Ignition Kit for FPB "MT" Match Throw Systems featuring the Burning Spur. Kit includes: Mounting Plate, Manual Spark Ignitor ModPFSe, Ignition Hood, Ignition Hood Screen, 2-Probe Spark Ignitor, Burner Rain Shield and Bracket, Ignition Wiring, AAA Battery	\$ 229.00
FG-EMER-STOP	Provides An Electronic Emergency Stop for 120VAC or 30VDC Appliances. Housed in Weather Proof J-Box and Weatherproof Cover.	\$ 409.00
FG-TIMER-2HR	Two (2) Hour Mechanical Timer - Housed in Weatherproof J-BOX with Weatherproof Cover	\$ 459.00
FG-WS-OD	Wired Wall Switch - Housed in Weatherproof J-Box with Weatherproof Cover	\$ 199.00
FG-1420-AOD	1420-A (ON/OFF REMOTE W/110 RX, Weatherproof J-BOX, Weatherproof Cover	\$ 399.00
RCAF-3TX	On/Off/Hi/Lo Transmitter	\$ 119.00
TM-R-AF1TX	Wireless Wall Timer (30min/60min/90min/120min), radio frequency - 20 foot range, surface mount, battery operated, uses two (2) 3-volt button cell batteries (included) - for use with TFS units only	\$ 139.00
WS	Wired Wall Mount Switch (On/Off)	\$ 29.00
KEY-PC-12	12" Polished Chrome Key for Key Valve	\$ 19.00
KV-PC-12	High Capacity Straight Key Valve with Polished Chrome Cover and 12" Key, 350,000 Btu @ 1/2 PSI - REPLACES: KVSC-PC-12 * KVHC-PC-12	\$ 89.00
78002	For the 36" LED Kalea Bay (NG or LP)	\$ 429.00
78004	For the 48" LED Kalea Bay (NG or LP)	\$ 559.00
78006	For the 60" LED Kalea Bay (NG or LP)	\$ 639.00
78008	For the 72" LED Kalea Bay (NG or LP)	\$ 729.00
78009	2020 BUILT - 36" Kalea Bay NON-LED (OFP-36LECO-N) See-Through Conversion Kit includes: 2-Piece Glass Windshield Kit, Windshield Support and Stainless Steel Hood	\$ 369.00

78010		For the 48" BATTERY Kalea Bay (NG or LP)	\$ 509.00
78011		For the 60" BATTERY Kalea Bay (NG or LP)	\$ 579.00
78012		2020 BUILT 72" Kalea Bay NON-LED (OFP-72LECO-N) See-Through Conversion Kit includes: See-Through Conversion Kit includes: 2-Piece Glass Windshield Kit, Windshield Support and Stainless Steel Hood	\$ 669.00
LID-19R2 *		NEW! Style flat lid with placement tabs: 22" Diameter, Lid height with handle 2.5" - fits FPB-19R Series	\$ 196.00
LID-25R2 *		NEW! Style flat lid with placement tabs: 28" Diameter, Lid height with handle 2.5" - fits FPB-25R Series	\$ 303.00
LID-29R2		NEW! Style flat lid with placement tabs: 32" Diameter, Lid height with handle 2.5" - fits FPB-29R Series	\$ 381.00
LID-33R2		NEW! Style flat lid with placement tabs: 36" Diameter, Lid height with handle 2.5" - fits FPB-33R Series	\$ 460.00
LID-20S		Square Stainless Steel Lid - Brushed Finish - 22 1/4" Square x 5/8" H with handle 2" - designed to fit FPB-20S Series	\$ 290.00
LID-26S		Square Stainless Steel Lid - Brushed Finish - 28 1/4" Square x 5/8" H with handle 2" - designed to fit FPB-26S Series	\$ 389.00
LID-32S		Square Stainless Steel Lid - Brushed Finish - 34 1/4" Square x 5/8" H with handle 2" - designed to fit FPB-32S Series	\$ 621.00
LID-38S		Stainless Steel Lid - Brushed Finish - 40 1/4" Square x 5/8" H with handle 2" - designed to fit FPB-38S Series	\$ 845.00
LID-LOF2406 *		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-2406 Stainless Steel Drop-In Pan - Brushed Finish - 26 3/4" L x 8 3/4" W x 2 7/8" H (includes handle)	\$ 161.00
LID-LOF2412 *		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-2412 Stainless Steel Drop-In Pan - Brushed Finish - 26 3/4" L x 14 3/4" W x 2 7/8" H (includes handle)	\$ 225.00
LID-LOF3006 *		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-3006 Stainless Steel Drop-In Pan - Brushed Finish - 32 3/4" L x 8 3/4" W x 2 7/8" H (includes handle)	\$ 183.00
LID-LOF3010 *		Line of Fire (LOF) Series Stainless Steel Lid - Brushed Finish - 32 3/4" L x 12 3/4" W x 2 7/8" H (includes handle) - designed to fit LOF-30LH	\$ 242.00
LID-LOF3012 *		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-3012 Stainless Steel Drop-In Pan - Brushed Finish - 32 3/4" L x 14 3/4" W x 2 7/8" H (includes handle)	\$ 266.00
LID-LOF3606		Line of Fire (LOF) Series Stainless Steel Lid for LOF-3606 Stainless Steel Drop-In Pan - Brushed Finish - 38 3/4" L x 8 3/4" W x 2 7/8" H (includes handle) - formally known as LID-LOF36LT	\$ 183.00
LID-LOF3614		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-3614 Stainless Steel Drop-In Pan - Brushed Finish - 38 3/4" L x 16 3/4" W x 2 7/8" H (includes handle)	\$ 331.00
LID-LOF4214		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-4214 Stainless Steel Drop-In Pan - Brushed Finish - 44 3/4" L x 16 3/4" W x 2 7/8" H (includes handle)	\$ 396.00
LID-LOF4806		Line of Fire (LOF) Series Stainless Steel Lid for LOF-4806 Stainless Steel Drop-In Pan - Brushed Finish - 50 3/4" L x 8 3/4" W x 2 7/8" H (includes handle) - formally known as LID-LOF48LT	\$ 277.00
LID-LOF4814		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-4814 Stainless Steel Drop-In Pan - Brushed Finish - 50 3/4" L x 16 3/4" W x 2 7/8" H (includes handle) - formally known as LID-LOF48LH	\$ 442.00
LID-LOF6006		Line of Fire (LOF) Series Stainless Steel Lid for LOF-6006 Stainless Steel Drop-In Pan - Brushed Finish - 62 3/4" L x 8 3/4" W x 2 7/8" H (includes handle) - Formally known as LID-LOF60LT	\$ 334.00
LID-LOF6016		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-6016 Stainless Steel Drop-In Pan - Brushed Finish - 62 3/4" L x 18 3/4" W x 2 7/8" H (includes handle)	\$ 584.00
LID-LOF7206		Line of Fire (LOF) Series Stainless Steel Lid for LOF-7206 Stainless Steel Drop-In Pan - Brushed Finish - 74 3/4" L x 8 3/4" W x 2 7/8" H (includes handle)	\$ 399.00
LID-LOF7216		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-7216 Stainless Steel Drop-In Pan - Brushed Finish - 74 3/4" L x 18 3/4" W x 2 7/8" H (includes handle)	\$ 699.00
LID-LOF8406		Line of Fire (LOF) Series Stainless Steel Lid for LOF-8206 Stainless Steel Drop-In Pan - Brushed Finish - 86 3/4" L x 8 3/4" W x 2 7/8" H (includes handle)	\$ 391.00
LID-LOF8416		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-8416 Stainless Steel Drop-In Pan - Brushed Finish - 86 3/4" L x 18 3/4" W x 2 7/8" H (includes handle)	\$ 810.00
LID-LOF9606		Line of Fire (LOF) Series Stainless Steel Lid for LOF-9606 Stainless Steel Drop-In Pan - Brushed Finish - 98 3/4" L x 8 3/4" W x 2 7/8" H (includes handle)	\$ 504.00
LID-LOF9616		Line of Fire (LOF) Series Stainless Steel Lid FOR LOF-9616 Stainless Steel Drop-In Pan - Brushed Finish - 98 3/4" L x 18 3/4" W x 2 7/8" H (includes handle)	\$ 905.00
FG-12QDK		Quick Disconnect Kit for use with Natural Gas or Liquid Propane - 12" (144"), 3/8" I.D. Gray PVC Galvanized Steel Hose, Quick Disconnect Fitting and Socket Dust Cap, 80K BTU. CSA-AGA/CGA approved to -40 Degrees F	\$ 99.00
FG-32LPHRK		32" Liquid Propane Hose and Regulator Kit, Rated at 85,375 BTU @10" W.C. CSA-AGA/CGA Approved, 3/8: Flared ID	\$ 49.00
FG-60LPHRK		60" Liquid Propane Hose and Regulator Kit, Rated at 130K BTU @10" W.C. CSA-AGA/CGA Approved, 3/8: Flared ID	\$ 89.00
FG-LPQDK		Liquid propane quick disconnect kit - includes 12" (144") 1/2" OD, 3/8" ID, gray PVC hose with quick disconnect fitting and socket dust cap. FG-LPRK liquid propane regPFSator, 3/8" MPT Adapter and ACME quick connect. CSA-AGA/CGA approved, rated at 80K BTU LP	\$ 199.00
FG-LPRK		Rated at 100K BTU Liquid Propane Regulator, 3/8" MPT Adapter and Acme Quick Connect. CSA-AGA/CGA approved	\$ 79.00
VENT-KIT-6X12SS		Vent Kit: Includes (2) Stainless Steel 6" tall x 12" wide vents with mounting screws. Each vent provides 18 square inches of cross ventilation.	\$ 69.00
GWS-23R		Tempered Glass Windshield, 1/4" 5 MM, 23" Diameter x 8" Tall, includes assembly hardware - Replaces GWS-22R	\$ 239.00
GWS-32R		Tempered Glass Windshield, 1/4" 5 MM, 32" Diameter x 8" Tall, includes assembly hardware	\$ 269.00
GWS-36R		Tempered Glass Windshield, 1/4" 5 MM, 36" Diameter x 8" Tall, includes assembly hardware	\$ 299.00
GWS-38R		Tempered Glass Windshield, 1/4" 5 MM, 38" Diameter x 8" Tall, includes assembly hardware	\$ 369.00
GWS-48R		Tempered Glass Windshield, 1/4" 5 MM, 48" Diameter x 8" Tall, includes assembly hardware	\$ 429.00
GWS-60R		Tempered Glass Windshield, 1/4" 5 MM, 60" Diameter x 8" Tall, includes assembly hardware	\$ 419.00
GWS-2424		Heavy duty 1/4" heat resistant tempered glass windshield with pencil grind satin edges - 24" X 24" Square X 7 1/2" H - Zinc die casted, plated polished chrome hardware with silicone rubber feet - designed to fit FPB-20S Square Burner Systems	\$ 209.00
GWS-3030		Heavy duty 1/4" heat resistant tempered glass windshield with pencil grind satin edges - 30" X 30" Square X 7 1/2" H - Zinc die casted, plated polished chrome hardware with silicone rubber feet - designed to fit FPB-26S Square Burner Systems	\$ 229.00
GWS-3838		Heavy duty 1/4" heat resistant tempered glass windshield with pencil grind satin edges - 38" X 38" Square X 7 1/2" H - Zinc die casted, plated polished chrome hardware with silicone rubber feet - designed to fit FPB-32S Square Burner Systems	\$ 269.00
GWS-4242		Heavy duty 1/4" heat resistant tempered glass windshield with pencil grind satin edges 42" X 42" Square X 7 1/2" H - Zinc die casted, plated polished chrome hardware with silicone rubber feet - designed to fit FPB-38S Square Burner Systems	\$ 379.00
GWS-2911 *		Tempered Glass Windshield, 1/4" 5 MM, 29 1/2" L x 11 1/2" Wide x 6" Tall, includes assembly hardware	\$ 229.00
GWS-2917 *		Tempered Glass Windshield, 1/4" 5 MM, 29" L x 17" Wide x 6" Tall, includes assembly hardware	\$ 269.00
GWS-3511 *		Tempered Glass Windshield, 1/4" 5 MM, 35 1/2" L x 11 1/2" Wide x 6" Tall, includes assembly hardware	\$ 249.00
GWS-3517 *		Tempered Glass Windshield, 1/4" 5 MM, 35" L x 17" Wide x 6" Tall, includes assembly hardware	\$ 279.00
GWS-4111		Tempered Glass Windshield, 1/4" 5 MM, 41 1/2" L x 11 1/2" Wide x 6" Tall, includes assembly hardware	\$ 289.00

GWS-4119	Tempered Glass Windshield, 1/4" 5 MM, 41" L x 19" Wide x 6" Tall, includes assembly hardware	\$ 309.00
GWS-5311	Tempered Glass Windshield, 1/4" 5 MM, 53 1/2" L x 11 1/2" Wide x 6" Tall, includes assembly hardware	\$ 379.00
GWS-5319	Tempered Glass Windshield, 1/4" 5 MM, 53" L x 19" Wide x 6" Tall, includes assembly hardware	\$ 429.00
GWS-6511	Tempered Glass Windshield, 1/4" 5 MM, 65 1/2" L x 11 1/2" Wide x 6" Tall, includes assembly hardware - 2 piece set to obtain length	\$ 399.00
GWS-6521	Tempered Glass Windshield, 1/4" 5 MM, 65" L x 21" Wide x 6" Tall, includes assembly hardware - 2 piece set to obtain length	\$ 469.00
GWS-7711	Tempered Glass Windshield, 1/4" 5 MM, 77 1/2" L x 11 1/2" Wide x 6" Tall, includes assembly hardware - 2 piece set to obtain length	\$ 449.00
GWS-7721	Tempered Glass Windshield, 1/4" 5 MM, 77" L x 21" Wide x 6" Tall, includes assembly hardware - 2 piece set to obtain length	\$ 519.00
FPB-TMSI-SVC-KIT	Service Repair Kit for FPB Series featuring TMSI Valve System, includes: Thermocouple/Rainshield Replacement Kit, Copreci Manual Gas Valve, Mounting Nut for Copreci Valve, Manual Gas Valve Knob for Copreci Valve, Manual Spark Ignitor Module with Red Button, 23" and 48" Piezo Extension Wire, Mesh Screen Cover (for Ignition Hood), (8) Stainless Thread Cutting Screws	\$ 319.00
LOF-TMSI-PILOT-SVC-KIT	Service Repair Kit for Line of Fire Series featuring TMSI "Piloted Valve System" includes: Natural Gas Pilot Assembly, Spark Ignitor Assembly, Pilot Hood, Standing Pilot Gas Valve, Gas Control Knob only - For product built in 2017 - 2020.	\$ 219.00
FPB-LTFS-SVC-KIT	Service Repair Kit for FPB "L" Series featuring TFS Valve System, includes: Pilot Assembly, Module, Battery Pack with Wire	\$ 419.00
FPB-TFS-SVC-KIT	Service Repair Kit for FPB Series featuring TFS Valve System, includes: Module, Battery Pack w Wire, Igniter Assembly, Mesh Screen for Ignition Hood, (8) Stainless Steel Thread Cutting Screws	\$ 429.00
AWS-SVC-KIT	Service Repair Kit for all burner systems featuring AWS Valve System, includes: Thermopile, 30VDC Hot Surface Igniter for Pilot Burner, Main Control Module	\$ 449.00
FG-CONTROL-FP	Faceplate for all Line of Fire burners featuring TMSI ignition systems	\$ 59.00
FG-CONTROL-KNOB	Control knob for all Line of Fire burners featuring TMSI Line Of Fire systems	\$ 9.00
FG-GASVALVE-1	Gas Valve (non-piloted) for Line of Fire TMSI systems. For product built in 2017 - 2020.	\$ 69.00
FG-GASVALVE-2	Gas Valve (piloted) for Line of Fire TMSI systems fits: LOF-48LHTMSI-N, LOF-48LTTMSI-N, LOF-60LTTMSI-N, for models built in 2017 - 2020.	\$ 109.00
FG-IGNITION-HOOD	Ignition hood for all Line of Fire burners featuring TMSI ignition systems	\$ 39.00
FG-IGNITOR-WIRE	Ignition wire for non-piloted TMSI Line Of Fire systems	\$ 29.00
TMSI-TC-ASSEMBLY	Copreci Thermocouple with Ignition hood	\$ 99.00
TFS-IGNT-ASSEMBLY	Ignition modPFSe, igniter probes, thermocouple and ignition hood	\$ 119.00
AWS-FACEPLATE	Stainless Steel Faceplate (only) for AWS Valve Systems for mounting Key Valve and ON/OFF Weatherproof Switch	\$ 73.00
FG-AWS-PS-30V320	30VDC, 320W Power Supply - POOL CERTIFIED - built into NEMA Approved Enclosure - for use with single installation or up to four fire features, max distance run of 500' - Replaces FG-PS-30V320	\$ 999.00
FG-HEATSHIELD	AWS HEATSHIELD	\$ 69.00
FG-ICB	AWS IGNITION CONTROL BOX	\$ 2,399.00
FG-ICB-HC	AWS IGNITION - HIGH CAPACITY CONTROL BOX	\$ 2,419.00
GOE-30VDC	30VDC Power Supply for single fire features - non-pool certified	\$ 129.00
FG-PBA	FG-AWS PILOT BURNER ASSEMBLY - 30"	\$ 819.00
FG-WP6000G	SINGLE GANG WEATHER COVER - GRAY	\$ 69.00
3042-RB	3042-RB Battery Ignition Module	\$ 49.00
3042-RB-BUTTON	BUTTON FOR 3042-RB	\$ 29.00
FG-IGNIT-ASSY-PI	Ignition assembly for piloted TMSI Line Of Fire systems - fits LOF-48LHTMSI-N, LOF-48LTTMSI-N, LOF-60LTTMSI-N. For product built in 2017 - 2020.	\$ 29.00
FG-SPARK-IGN	Spark Igniter for TMSI Line Of Fire systems. For product built in 2017 - 2020.	\$ 59.00
FG-THERMOCOUPLE	Thermocouple for LOF-TMSI Series. For product built in 2017 - 2020.	\$ 39.00
ST3-080-1009	Copreci Manual Gas Valve for Round, Square and Flat Burners featuring TMSI Ignition System	\$ 99.00
PILOTO-23300-206	L Series Burner Pilot Assembly - Discontinued Product - Manufactured in 2016 - 2019	\$ 59.00
VCS-5000MODTC	Ignition ModPFSe	\$ 129.00
AF-4000BP12	Battery Pack (with 12-foot 4 Pin, 4-wire harness, cover plate and 12-foot red and black 2-wire harness for solenoid)	\$ 139.00
AF-4025DSILSS0	Electronic IPI Gas Valve with Solenoid for Round, Square and Flat Burners featuring TFS Ignition System	\$ 369.00
AF-4025DSILSS36	Electronic IPI Gas Valve with Solenoid for L Series Burners featuring TFS Ignition System	\$ 379.00
GWS-BRACKET-S	Corner Bracket set of 8 (used on GWS-2424, GWS-3030, GWS-3838, GWS-4242, GWS-3410, GWS-3810, GWS-4410, GWS-6010, GWS-8410)	\$ 149.00
GWS-STRAIGHTBRKT	Center Connector Bracket set of 4 (used on GWS-6810, GWS-8410)	\$ 89.00
78209	75K BTU GAS KIT FOR LAVELLE BURNER SYSTEMS NG	\$ 175.00
78210	75K BTU GAS KIT FOR LAVELLE BURNER SYSTEMS LP	\$ 175.00
TPSI-SVC-KIT-N	Service Repair Kit for TPSI Units - Natural Gas	\$ 799.00
TPSI-SVC-KIT-P	Service Repair Kit for TPSI Units - Liquid Propane	\$ 799.00
SAN-COLOR-SAMPLE	Sanctuary Samples Swatches - 4 colors: Raven (Black), Slate (Grey), Arctic (White) Chocolate (Dark Brown). Size: 2 7/8" x 2 7/8" x 3/4" thick	\$ 42.00
GL-SAMPLE-KIT	UPDATED FOR 2021 - Glass Sample Kit - Samples of each of glass including GL and GRL fireglass and lava stones	\$ 19.00
POP-AWS-DISPLAY	AWS Traveling Sales Display and Training Aid	\$ 3,959.00
POP-PRO-SF-DISPLAY	Snow Flake Burner Display	\$ 599.00