





Elite™ Center Shelf


Base

- Easy access threshold
- Fiberglass, 3" diameter feet and composite materials
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Spacious slip resistant area
- Scratch and stain resistant
- One person, direct-to-stud installation
- Suitable for tile applications

Surround


- Surround offer spacious 4" deep shelves
- Innovative design hides seams
- No caulk assembly
- Installs direct to studs
- Compatible with most standard shower bases
- Sold separately; may also be used on other manufacturers' bases

60" x 34" x 69" Elite™ Surround



Max Door Threshold Width 3"

60" x 34" x 3½" Elite™ SFR Base




☒ = required stud location

☒ = suggested stud location


Item ID#	Color	Description
378092	W	Acrylic 3 pc Wall
378091	W	Base CTR Drain
378094	B	Acrylic 3 pc Wall
378093	B	Base CTR Drain

60" x 32" x 69" Elite™ Surround



Max Door Threshold Width 3"

60" x 32" x 3½" Elite™ SFR Base




☒ = required stud location

☒ = suggested stud location

Right Hand Shown -
opposite for Left Hand


Item ID#	Color	Description
378072	W	Acrylic 3 pc Wall
378071	W	Base RH Drain
378090	W	Base LH Drain
378075	B	Acrylic 3 pc Wall
378073	B	Base RH Drain
378074	B	Base LH Drain

60" x 30" x 69" Elite™ Surround



Max Door Threshold Width 3"

60" x 30" x 3½" Elite™ SFR Base




☒ = required stud location

☒ = suggested stud location

Right Hand Shown -
opposite for Left Hand


Item ID#	Color	Description
378138	W	Acrylic 3 pc Wall
378136	W	Base RH Drain
378137	W	Base LH Drain
378141	B	Acrylic 3 pc Wall
378139	B	Base RH Drain
378140	B	Base LH Drain

36" x 36" x 69" Elite™ Surround



Max Door Threshold Width 3"

36" x 36" x 3½" Elite™ SFR Base




☒ = required stud location

☒ = suggested stud location

Item ID#	Color	Description
377993	W	Acrylic 3 pc Wall
377991	W	Base CTR Drain
377994	B	Acrylic 3 pc Wall
377992	B	Base CTR Drain




32" x 32" x 69" Elite™ Surround



Max Door Threshold Width 3"


32" x 32" x 3 1/2" Elite™ SFR Base



☒ = required stud location

☒ = suggested stud location

Item ID#	Color	Description
377977	W	Acrylic 3 pc Wall
377937	W	Base CTR Drain
377978	B	Acrylic 3 pc Wall
377939	B	Base CTR Drain



Water-Proof Gasket
(Magnified View)

Innovative Wall Design
Adjusts for out-of-square
alcoves and hides seams.
No caulk required.



Structural Strength
Fiberglass, 3" diameter feet
and composite materials

All accessories sold separately



Elite™ Corner Shelf


Base

- Easy access threshold
- Fiberglass, 3" diameter feet and composite materials
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Spacious slip resistant area
- Scratch and stain resistant
- One person, direct-to-stud installation
- Suitable for tile applications

Surround


- Surround offer spacious 4" deep shelves
- Innovative design hides seams
- No caulk assembly
- Installs direct to studs
- Compatible with most standard shower bases
- Sold separately; may also be used on other manufacturers' bases

54" x 30" x 69" Elite™ Surround



Max Door Threshold Width 3"

54" x 30" x 5½" Elite™ AFR Base




☒ = required stud location

☒ = suggested stud location


Item ID#	Color	Description
378129	W	Acrylic 3 pc Wall
378128	W	Base CTR Drain
378131	B	Acrylic 3 pc Wall
378130	B	Base CTR Drain

54" x 27" x 69" Elite™ Surround



Max Door Threshold Width 3"

54" x 27" x 5½" Elite™ AFR Base




☒ = required stud location

☒ = suggested stud location


Item ID#	Color	Description
378124	W	Acrylic 3 pc Wall
377941	W	Base RH Drain
377940	W	Base LH Drain
378125	B	Acrylic 3 pc Wall
377945	B	Base RH Drain
377944	B	Base LH Drain

54" x 27" x 69" Elite™ Surround



Max Door Threshold Width 3"

54" x 27" x 5½" Elite™ AFR Base




☒ = required stud location

☒ = suggested stud location


Item ID#	Color	Description
378124	W	Acrylic 3 pc Wall
378082	W	Base CTR Drain
378125	B	Acrylic 3 pc Wall
378083	B	Base CTR Drain

48" x 34" x 69" Elite™ Surround



Max Door Threshold Width 3"

48" x 34" x 3½" Elite™ SFR Base




☒ = required stud location

☒ = suggested stud location


Item ID#	Color	Description
378052	W	Acrylic 3 pc Wall
378050	W	Base CTR Drain
378053	B	Acrylic 3 pc Wall
378051	B	Base CTR Drain

48" x 30" x 69" Elite™ Surround



Max Door Threshold Width 3"


48" x 30" x 5 1/2" Elite™ AFR Base



⊗ = required stud location

⊗ = suggested stud location

Item ID#	Color	Description
378133	W	Acrylic 3 pc Wall
378132	W	Base CTR Drain
378135	B	Acrylic 3 pc Wall
378134	B	Base CTR Drain



Water-Proof Gasket
(Magnified View)

Innovative Wall Design
Adjusts for out-of-square alcoves and hides seams.
No caulk required.



Structural Strength
Fiberglass, 3" diameter feet
and composite materials



Elite™ Seated Base

Seated Base


- Easy access threshold
- Comfortable one piece 18" tall seat
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Spacious slip resistant area
- Scratch and stain resistant
- One person, direct-to-stud installation
- Suitable for tile applications

Surround

- Surround offer spacious 4" deep shelves
- Innovative design hides seams
- No caulk assembly
- Installs direct to studs
- Compatible with most seated shower bases and bathtubs
- Sold separately; may also be used on other manufacturers' bathtubs




60" x 32" x 59" Elite™ Surround



Max Door Threshold Width 3"

60" x 32" x 19" Elite™ SFR Seated Base




⊗ = required stud location

⊠ = suggested stud location

Left Seat with Right Drain Shown - reverse for Right Seat with Left Drain


Item ID#	Color	Description
378078	W	Acrylic 3 pc Wall
378077	W	LH Seat, RH Drain
378076	W	RH Seat, LH Drain
378081	B	Acrylic 3 pc Wall
378080	B	LH Seat, RH Drain
378079	B	RH Seat, LH Drain

48" x 34" x 53" Elite™ Surround



Max Door Threshold Width 3"

48" x 34" x 19" Elite™ SFR Seated Base




⊗ = required stud location

⊠ = suggested stud location

Left Seat Shown - reverse for Right Seat

Item ID#	Color	Description
378056	W	Acrylic 3 pc Wall
378055	W	LH Seat, CTR Drain
378054	W	RH Seat, CTR Drain
378097	B	Acrylic 3 pc Wall
378096	B	LH Seat, CTR Drain
378095	B	RH Seat, CTR Drain





Elite™ Bathtub

Bathtub


- 30° lumbar support and arm rests designed for your comfort
- Innovative design drains water away from apron corners
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Slip resistant bottom for showering
- Reinforced integral apron with brace and gussets
- One person, direct-to-stud installation
- Suitable for tile applications

Surround

- Surround offer spacious 4" deep shelves
- Innovative design hides seams
- No caulk assembly
- Installs direct to studs
- Compatible with most standard bathtubs and seated shower bases
- Sold separately; may also be used on other manufacturers' bathtubs




60" x 32" x 59" Elite™ Surround



Max Door Threshold Width $3\frac{1}{2}$ "
Bathing Depth From Overflow $14\frac{1}{8}$ "

60" x 32" x 19" Elite™ SFR Bathtub




☒ = required stud location

☒ = suggested stud location

RH installation shown - reverse for LH installation.


Item ID#	Color	Description
378078	W	Acrylic 3 pc Wall
378142	W	Bathtub RH Drain
378143	W	Bathtub LH Drain
378144	B	Acrylic 3 pc Wall
378145	B	Bathtub RH Drain
378146	B	Bathtub LH Drain

60" x 30" x 59" Elite™ Surround



Max Door Threshold Width $3\frac{1}{2}$ "
Bathing Depth From Overflow $11\frac{1}{2}$ "

60" x 30" x 16" Elite™ SFR Bathtub




☒ = required stud location

☒ = suggested stud location

RH installation shown - reverse for LH installation.

Item ID#	Color	Description
378063	W	Acrylic 3 pc Wall
378060	W	Bathtub RH Drain
378059	W	Bathtub LH Drain
378064	B	Acrylic 3 pc Wall
378062	B	Bathtub RH Drain
378061	B	Bathtub LH Drain


Left Drain, Right Drain or Center Drain



Max Door Threshold Width 3 1/2"

Bathing Depth From Overflow 11 1/4"


Center Drain Version Does Not Have Arm Rest



☒ = required stud location

☒ = suggested stud location

RH installation shown - reverse for LH installation.




☒ = required stud location

☒ = suggested stud location

Item ID#	Color	Description
378069	W	Acrylic 3 pc Wall
378066	W	Bathtub RH Drain
378065	W	Bathtub LH Drain
378126	W	Bathtub CTR Drain
378070	B	Acrylic 3 pc Wall
378068	B	Bathtub RH Drain
378067	B	Bathtub LH Drain
378127	B	Bathtub CTR Drain



Water-Proof Gasket
(Magnified View)



Innovative Wall Design
Adjusts for out-of-square alcoves and hides seams. No caulk required.



Structural Strength
Fiberglass, 3" diameter feet and composite materials



5 Year Consumer, 2 Year Commercial Warranty




Drop-In Bathtub



Bathtub

- Designed for island installation
- Easy to install for both new construction and remodel projects
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Extra large bathing space for relaxing
- Arm rest for comfort and safety
- Suitable for tile installation

60" x 42" x 19" Drop-In Bathtub



Bathing Depth From Overflow 11 1/4"



⊗ = required stud location

⊗ = suggested stud location

Item ID#	Color	Description
377979	W	Drop-in Bathtub
378109	B	Drop-in Bathtub



Victory™ Bathtub

Bathtub


- Molded lumbar and head support for bathing comfort
- Innovative design drains water away from apron corners
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Slip resistant bottom for showering
- Reinforced integral apron with brace and gussets
- One person, direct-to-stud installation
- Suitable for tile applications

Surround


- Surround offer spacious 4" deep shelves
- Innovative design hides seams
- No caulk assembly
- Installs direct to studs
- Compatible with most standard bathtubs and seated shower bases
- Sold separately; may also be used on other manufacturers' bathtubs



Left Drain, Right Drain or Center Drain




Max Door Threshold Width 2 3/4"
No Overflow Drilled



⊗ = required stud location

⊠ = suggested stud location

RH Installation shown - reverse for LH installation.




⊗ = required stud location

⊠ = suggested stud location

Item ID#	Color	Description
377962	W	Acrylic 3 pc Wall
377947	W	Bathtub RH Drain
377946	W	Bathtub LH Drain
377989	W	Bathtub CTR Drain
377964	B	Acrylic 3 pc Wall
377951	B	Bathtub RH Drain
377950	B	Bathtub LH Drain
377990	B	Bathtub CTR Drain



Water-Proof Gasket
(Magnified View)



Innovative Wall Design
Adjusts for out-of-square alcoves and hides seams.
No caulk required.



Structural Strength
Fiberglass, 3" diameter feet
and composite materials



Victory™ Seated Base

Seated Base


- Easy access threshold
- Comfortable one piece 15" tall seat
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Spacious slip resistant area
- Scratch and stain resistant
- One person, direct-to-stud installation
- Suitable for tile applications

Surround



- Two, 4" deep shelves
- Innovative design hides seams
- High Gloss surface with composite material and fiberglass reinforcement
- No Caulk assembly
- Installs direct to studs
- Compatible with most seated shower bases and bathtubs
- May be used on other manufacturers' bathtubs




54" x 30" x 59" Triumph™ Surround



54" x 27" x 59" Triumph™ Surround




54" x 30" x 19" Victory™ AFR Seated Base



Left Seat Shown - reverse for Right Seat

Item ID#	Color	Description
378159	W	Acrylic 3 pc Wall
378154	W	LH Seat, RH Drain
378156	W	RH Seat, LH Drain
378160	B	Acrylic 3 pc Wall
378155	B	LH Seat, RH Drain
378157	B	RH Seat, LH Drain

54" x 27" x 19" Victory™ AFR Seated Base



Left Seat Shown - reverse for Right Seat

Item ID#	Color	Description
378152	W	Acrylic 3 pc Wall
378149	W	LH Seat, CTR Drain
378148	W	RH Seat, CTR Drain
378153	B	Acrylic 3 pc Wall
378151	B	LH Seat, CTR Drain
378150	B	RH Seat, CTR Drain



Classic™ Garden Bathtub

Bathtub

- Convenient outside step and 7" high inside seating
- Spacious bathing well
- Slip resistant area for showering
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Installs direct to studs

Wall Surround


- Four, 4" spacious shelves
- Innovative design hides seams
- No caulk assembly
- Installs direct to stud



20

5 Year Consumer, 2 Year
Commercial Warranty


54" x 42" x 59" Elite™ Surround



Outside Step 10" H x 6" W x 16 1/2" D

Inside Seat 7" H x 23" W x 11" D


54" x 42" x 19" Classic™ AFR Bathtub



☒ = required stud location

☒ = suggested stud location

Item ID#	Color	Description
378088	W	Acrylic 3 pc Wall
378163	W	Bathtub CTR Drain
378089	B	Acrylic 3 pc Wall
378164	B	Bathtub CTR Drain



Water-Proof Gasket
(Magnified View)

Innovative Wall Design
Adjusts for out-of-square
alcoves and hides seams.
No caulk required.



Victory™ Garden Bathtub

Bathtub


- Easy to install for both new construction and remodel projects
- Innovative design drains water away from apron corners
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Slip resistant bottom for showering
- Reinforced integral apron with brace and gussets
- One person, direct-to-stud installation
- Suitable for tile applications

Surround

- Surround offer spacious 4" deep shelves
- Innovative design hides seams
- No caulk assembly
- Installs direct to studs
- Compatible with most standard bathtubs and seated shower bases
- Sold separately; may also be used on other manufacturers' bathtubs




54" x 42" x 59" Elite™ Surround



Max Door Threshold Width $4\frac{1}{8}$ "
No Overflow Drilled

54" x 42" x 19" Victory™ AFR Bathtub



☒ = required stud location

☒ = suggested stud location

Item ID#	Color	Description
378088	W	Acrylic 3 pc Wall
378084	W	Bathtub CTR Drain
378089	B	Acrylic 3 pc Wall
378085	B	Bathtub CTR Drain



Water-Proof Gasket
(Magnified View)

Innovative Wall Design
Adjusts for out-of-square alcoves and hides seams.
No caulk required.



Structural Strength
Fiberglass, 3" diameter feet
and composite materials



Victory™ Garden Base

Base


- 10½" tall foot rests
- Easy to install for both new construction and remodel projects
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Slip resistant bottom for showering
- Reinforced integral apron with brace and gussets
- One person, direct-to-stud installation
- Suitable for tile applications

Surround

- Surround offer spacious 4" deep shelves
- Innovative design hides seams
- No caulk assembly
- Installs direct to studs
- Compatible with most garden bathtubs and garden bases
- Sold separately; may also be used on other manufacturers' bathtubs




54" x 42" x 59" Elite™ Surround



Max Door Threshold Width 3"

54" x 42" x 19" Victory™ AFR Base




⊗ = required stud location

⊗ = suggested stud location

Item ID#	Color	Description
378088	W	Acrylic 3 pc Wall
378107	W	Base CTR Drain
378089	B	Acrylic 3 pc Wall
378108	B	Base CTR Drain



Water-Proof Gasket
(Magnified View)



Innovative Wall Design
Adjusts for out-of-square alcoves and hides seams. No caulk required.



Structural Strength
Fiberglass, 3" diameter feet and composite materials



SeaWave X™ Bathtub & Surround

Bathtub

- Space saving corner design
- 16" tall corner seat area
- Spacious bathing well
- Slip resistant area for showering
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Installs direct to studs


Surround Available on Page 32



54" x 54" x 19³/₄" SeaWave X™ AFR Bathtub



*Bottom of Overflow to Drain



Item ID#	Color	Description
378162	W	Bathtub CTR Drain
378161	B	Bathtub CTR Drain



Structural Strength

Fiberglass, 3" diameter feet
and composite materials



Linear™ Bathtub with Triumph™ Surround



Bathtub

- Sleek, contemporary design
- Innovative design drains water away from apron corners
- Generous bathing area
- 30° lumbar support
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- One person, direct-to-stud installation
- Suitable for tile applications

Surround



- Two, 4" deep shelves
- Innovative design hides seams
- High Gloss surface with composite material and fiberglass reinforcement
- No Caulk assembly
- Installs direct to studs
- May be used on other manufacturers' bathtubs

60" x 32" x 59" Triumph™ Surround



Shower doors not compatible
Bathing Depth From Overflow 11 $\frac{1}{2}$ "

60" x 32" x 19" Linear™ Bathtub




- = required stud location
- = suggested stud location

Left Drain placement mirrors
Right Drain measurements.
SFR - Standard Floor Rough



ADA Compliant
When grab bars installed
as shown above



Innovative wall design
adjusts for out-of-square
alcoves and hides seams.
No caulk required.

Grab Bar Sizes for Surrounds (Not Included)



Structural Strength
Fiberglass, 3" diameter feet
and composite materials

Surround Size	Back Wall Horizontal	Side Wall Vertical	Side Wall Horizontal
60" x 32"	Maximum 42"	Maximum 24"	Maximum 24"



Select™ ADA

Base

- 1" barrier free threshold shower base for easy wheelchair access
- Quick and easy installation, apply construction adhesive to support feet
- Floor leveling compound and drain support to ceiling optional
- High Gloss acrylic with fiberglass reinforcement is scratch resistant and easy to clean
- Safety textured floor




Surround

- Two, 3" deep shelves
- Convenient 3" x 55" foot rest
- Innovative design hides seams
- High Gloss surface with composite material and fiberglass reinforcement
- No Caulk assembly
- Installs direct to studs
- Reinforced for grab bar installation
- May be used on other manufacturers' shower base




60" x 30" x 74" Select™ Surround

60" x 30" Select™ Base




*Composite backed area for vertical grab bar
40" x 3 1/2"


Max Fold Down Seat Dimensions




16" or 18" Grab Bar (Up to 3)




Threshold View



ADA Compliant
When grab bars installed as shown above



Innovative wall design adjusts for out-of-square alcoves and hides seams. No caulk required.



Structural Strength
Fiberglass, 3" diameter feet and composite materials

Grab Bar Sizes for Surrounds (Not Included)

Surround Size	Back Wall Horizontal	Side Wall Vertical	Side Wall Horizontal
60" x 32"	Maximum 42"	Maximum 18"	Maximum 16"




GP Glue-Up Surround

Surround

- Six, 3" deep shelves for maximum storage
- Constructed of solid ABS for strength and durability
- Easy to cut, adjusts to fit out of square alcoves
- Covered with protective film to maintain finish during installation
- Glue up installation is quick and easy

Item ID#	Color	Description
378086	W	Glue-up Wall
378087	B	Glue-up Wall



5 Year Consumer, 2 Year Commercial Warranty




Cove Pro™ Glue-Up Surround

Surround

- Six, 3" deep shelves for maximum storage
- Constructed of solid ABS for strength and durability
- Easy to cut, adjusts to fit out of square alcoves
- Covered with protective film to maintain finish during installation
- Glue up installation is quick and easy

Item ID#	Color	Description
378120	W	Glue-up Wall
378122	B	Glue-up Wall






MP Glue-Up Surround

Surround

- Six, 3" deep shelves for maximum storage
- Constructed of solid ABS for strength and durability
- Easy to cut, adjusts to fit out of square alcoves
- Covered with protective film to maintain finish during installation
- Glue up installation is quick and easy

Item ID#	Color	Description
377966	W	Glue-up Wall



5 Year Consumer, 2 Year
Commercial Warranty

Locations

Corporate Office:

PO Box 559
Royston, Georgia 30662
Phone: 706-245-6164
Toll-free: 800-476-6164
Fax: 706-245-8111

Gainesville, Georgia: HVAC Equipment & Parts

2482 Hilton Drive
Gainesville, Georgia 30501
Phone: 770-531-1232

Lavonia, Georgia: HVAC Equipment & Parts

11285 Hwy 17 South
Lavonia, Georgia 30553
Phone: 706-967-6001

Montgomery, Alabama: Gas Equipment and Supplies Heating & Hearth Products

3301 Thomason Ave
Montgomery, Alabama 36108
Phone: 334-264-7020

Athens, Georgia: HVAC Equipment & Parts

1160 Barber Street
Athens, Georgia 30601
Phone: 706-549-8009

Ocala, Florida: Gas Equipment and Supplies Heating & Hearth Products

301 Southwest 33rd Ave
Ocala, Florida 34474
Phone: 352-620-0106

Augusta, Georgia: Mobile Home Supplies

1825 Gordon Hwy
Augusta, Georgia 30904
Phone: 706-736-2922


Collins, Mississippi: Mobile Home, Gas, Heating & Hearth Products & Supplies

3954 Hwy 49 North
Collins, Mississippi 39428
Phone: 601-765-8307




Color Options*

For Bathtubs, Bases and Surrounds



White



Biscuit

*Colors shown may vary slightly from the actual product due to variations in the printing process.



**Bathtubs and Shower Bases are ANSI, IAPMO and CSA approved.
Lyons® products meet flame/smoke codes for high-rise installation.**

Availability and product offering subject to change without notice. All product subject to manufacturing tolerance of [+] or [-] 1/8". Stud locations may vary by wall surround. All products covered with a protective film to maintain finish during installation.



LYONS INDUSTRIES, INC.

30000 M-62 West
Dowagiac, MI 49047
phone: (800) 458-9036
fax: (269) 782-5159
www.lyonsindustries.com
e-mail: lyonsind@lyonsindustries.com

